

Garage equipment & special tools catalogue

42 TAAIFONTEIN ST CNR KHAI APPLE MONTANA, PRETORIA P O BOX 15189 LYNN EAST 0039

TEL 012 330 0540

E-MAIL info@hge.co.za WEBSITE www.hge.co.za HIGHVELD GARAGE EQUIPMENT CC was established in 1985. We specialise in quality garage equipment and tools, either imported by ourselves, purchased from local wholesalers or manufactured in South Africa.

We do not sell inferior products, but only well known, professional products, always taking value for money into consideration.

Our office is located in Montana, Pretoria, where safe parking on premises, is always available. Our facility includes a showroom, modern offices, training centre, mechanical workshop, electronic workshop and warehouse.

Our own technicians ensure that the equipment is professionally installed and serviced when required. We do not use agents or 3rd party companies to do our installations and training. Training schools on automotive diagnostics and wheel service equipment, are held regularly.

National and International sales and service, are done throughout Southern Africa.

We pride ourselves on providing a friendly, yet professional and personal service.

Mission Statement

We at Highveld Garage Equipment CC are committed to be market leaders in the garage equipment industry. We strive to offer the best products, always taking value for money into consideration. With superior industry knowledge we will back the products with the best possible service.



Highveld Garage Equipment CC building at 42 Taaifontein st, Cnr Khai Apple st, Montana, Pretoria

| | | | | DLX | | | | | |
|---------------------------------------|----------|----|-------|---|---------|----|----|----|----|
| 1 | | | | | В | | | | |
| 4 Gas analyser | 40 | | | Bench grinders | 6 | | | | |
| Α | | | | Bench vices | 6 | | | | |
| Accessories pumps | 82 | | | Benches | 6 | | | | |
| Adaptor bung | | 82 | | Benches electrical | 43 | | | | |
| Air compressors | 21 | - | | Benders tube | 51 | | | | |
| Air dusters | 18 | | | Bits drill | 36 | | | | |
| Air fittings | | 23 | | Bits torque wrench | 70 | | | | |
| Air greaser | 73 | | | Blades body file | 89 | | | | |
| Air hose reels | 22 | | | Blaster bead | 18 | | | | |
| Air hydraulic pumps | 88 | | | Blaster sand | 83 | | | | |
| Airbag removal kit | 90 | | | Bleeder | 32 | | | | |
| Aircon charging stations | 49 | | | Block sanding | 90 | | | | |
| Aircon consumables | 49 | | | Block tester | 33 | 52 | | | |
| Aircon gas | 49 | | | Blow guns | 18 | | | | |
| Airline hose | 18 | | | BMW Timing tools | 53 | to | 55 | 67 | 69 |
| Airline regulators filter lubricators | 22 | | | Body file | 89 | | | | |
| Alfa Romeo timing tools | 59 | to | 62 | Body repair hammers | 90 | | | | |
| Aligner | 19 | | | Body repair kit | 88 | | | | |
| Aligner clutch | | 87 | | Body repair pull clamps | 91 | | | | |
| Alignment shims | 20 | | | Bonnet light | 72 | | | | |
| Alternator sockets | 47 | | | Booster cables | 47 | | | | |
| Alternator testers | 44 | | | Booster packs | 45 | | | | |
| Ammeters | 45 | | | Booth spray | 88 | | | | |
| Angle gauge torque | 70 25 | 20 | 30 | Bore gauges | 39 3 | | | | |
| Angle grinders | 25 26 | 29 | 30 | Bottle jacks | 3 32 | | | | |
| Angle polisher Anti zap protectors | 45 | | | Brake bleeder | 32 | | | | |
| Antifreeze tester | | 52 | | Brake cylinder hones Brake fluid tester | 32 | | | | |
| Arc welders | 92 | 32 | | Brake lathes | 31 | | | | |
| Armature growler | 46 | | | Brake pedal depressor | 19 | | | | |
| Arrestors flash back | 93 | | | Brake spring plier | 32 | | | | |
| Audi VW timing tools | | to | 59 69 | Brake tester | 31 | | | | |
| Automatic gearbox station | 86 | | | Brake tools | 31 | 32 | | | |
| Auxilliary jacks | 1 | | | Brake wind back tool | 31 | | | | |
| В | | | | Brush parts cleaner | 83 | | | | |
| Balancers | 12 | | | Brushes | 27 | 93 | | | |
| Ball joint pullers | 20 | | | Buckles CV | 87 | | | | |
| Band CV | 87 | | | Buffer | 18 | 24 | | | |
| Base magnetic | 39 | | | Bung adaptor | 76 | 82 | | | |
| Batteries | 30 | | | Burrs | 37 | | | | |
| Battery carrier | 47 | | | Button head couplers | 74 | | | | |
| Battery chargers | 30 | 46 | | | C | | | | |
| Battery packs | 45 | | | Cabinet paper | 28 | | | | |
| Battery plier | 47 | | | Cables booster | 47 | | | | |
| Battery termainal puller | 47 | | | Cages | 17 | | | | |
| Battery terminal cleaner | 47 | | | Calipers spring | 39 | | | | |
| Battery testers | 44 | | | Camber caster gauge | 19 | | | | |
| Bead blaster | 18 | | | Camber gauge | 19 | | | | |
| Bead knocker | 14 | | | Camera's inspection | 72 | | | | |
| Bead lube | 16 | | | Can oil | 77 | | | | |
| Bead seater | 18 | | | Caps tyre valve | 16 | | | | |
| Bearing extractors | 11 | | | Car circuit testers | 43 | | | | |
| Bearing packer | 74 | | | Car dollies | 4 | 90 | | | |
| Bearing seperators | 8 | to | 10 | Carburettor synchroniser | 42 | | | | |
| Belt installer | 69 | | | Carburettor tools | 52 | | | | |
| Belt tension gauge | 69 | | | Carrier battery | 47 | | | | |
| Bench body repair | 88 | | | Cement tyre | 16 | | | | |

| C | | | | | | C | | | |
|--|----------|----|----|----|----|---|----------|----------|----|
| Chain filter wrench | 79 | | | | | Cylinder hones | 32 | 35 | |
| Chair | 4 | | | | | Cylinder leakage testers | 41 | | |
| Chargers | 30 | 46 | | | | Cylinders hydraulic | 5 | 90 | |
| Chassis repair kit | 88 | | | | | D | | | |
| Chassis straightener | 88 | | | | | Damaged nut / bolt remover | 11 | | |
| Chery timing tools | 68 | | | | | Decanting trolley | 77 | | |
| Chevrolet timing tools | 59 | 60 | | | | Dent pullers | 88 | 89 | |
| Chipping hammer | 93 | | | | | Diagnostic scanner | 40 | | |
| Chocks | 4 | | | | | Dial gauges | 39 | | |
| Chrysler timing tools | 55 | 68 | | | | Die grinders | 24 | 29 | |
| Circuit testers | 43 | 45 | | | | Dies thread | 36 | | |
| Citroen timing tools | 54 | 61 | 62 | 65 | 67 | Diesel hose | 82 | | |
| Clamp meters | 45 | | | | | Diesel injector tester | 84 | | |
| Clamp tools hose | 50 | | | | | Diesel pumps | 80 | 81 | |
| Clamps | 22 | | | | | Diesel timing lights | 42 | | |
| Clamps body repair | 91 | | | | | Disc brake seperator | 31 | | |
| Clamps hose shut off | 52 | | | | | Disc skimmer | 31 | | |
| Claw pick up tool | 71 47 | | | | | Disconnect tools hose | 50 | 28 | |
| Cleaner battery terminal Cleaner injectors | 84 | | | | | Discs sanding grinding cutting Dishes parts magnetic | 71 | 28 | |
| Cleaner nozzle | 93 | | | | | Dispenser gear oil | 75 | | |
| Cleaner vacuum | 83 | | | | | Dodge timing tools | 68 | | |
| Cleaners parts washers | 83 | | | | | Dollies wheel | 17 | | |
| Clutch alignment tool | 86 | 87 | | | | Dollies body repair | 89 | | |
| Clutch tools | 86 | 87 | | | | Door opening holder | 90 | | |
| CO leak tester | 33 | 52 | | | | Dozer | 88 | | |
| CO Tester / Gas analyser | 40 | | | | | Drain oil | 77 | | |
| Coil pullers | 48 | | | | | Drill bits | 36 | | |
| Coil spring compressors | 7 | 8 | | | | Drill presses | 6 | | |
| Collision repair system | 88 | | | | | Drill sets | 37 | | |
| Compression testers | 41 | | | | | Drill vices | 6 | | |
| Compressors | 21 | | | | | Drills air | 25 | | |
| Compressors piston ring | 34 | | | | | Drills electric | 29 | 30 | |
| Compressors valve spring | 34 | | | | | Drills step | 37 | | |
| Connectors | 17 | 23 | | | | Drip trays | 76 | 77 | |
| Control grease | 74 | | | | | Driver impact | 46 | | |
| Control oil | 75 | | | | | Drum covers grease | 73 | | |
| Control fuel | 81 | 82 | | | | Drum decanting trolley | 77 | 70 | 77 |
| Cores valve Couplers quick | 16 23 | | | | | Drum trollies DSG Clutch alignment tool | 74 86 | 76 87 | 77 |
| Couplers quick Couplers grease | 74 | | | | | Dye aircon gas | 49 | 01 | |
| Cover seat | 72 | | | | | = | -10 | | |
| Covers drum grease | 73 | | | | | Easy outs | 10 | | |
| Covers druin grease Covers fender | 72 | | | | | Electrical test benches | 43 | | |
| Cranes | 5 | | | | | Emery cloth | 28 | | |
| Crank nut remover | 69 | | | | | Engine cranes | 5 | | |
| Creepers | 4 | | | | | Engine leveler | 5 | | |
| Crimping pliers | 47 | | | | | Engine stands | 5 | | |
| Cup brushes | 27 | | | | | Engine supports | 5 | | |
| Cutter | 25 | | | | | Engineers squares | 38 | | |
| Cutters exhaust pipe | 87 | | | | | Evacuators oil | 77 | | |
| Cutters injector seats | 84 | | | | | Exhaust expander | 87 | | |
| Cutters pipe | 50 | | | | | Exhaust pipe cutters | 87 | | |
| Cutters plasma | 92 | | | | | Exhaust pressure tester | 42 | 87 | |
| Cutters spot weld | 90 | | | | | Expander exhaust | 87 | | |
| Cutting discs | 27 | | | | | Extended slip plates | 19 | | |
| CV Boot tools | 87 | | | | | Extractors | 10 | 11 | |

| F | | | | | G | | |
|-------------------------------|----|----|----|----|----------------------------|----|-------|
| | | | | | | | |
| Fan spanner set | 52 | | | | Gun soldering | 48 | |
| Feeler gauges | 38 | | | | Gun suction oil | 75 | |
| Fender covers | 72 | | | | н | | |
| Fiat timing tools | 59 | to | 62 | | Hammer drills | 29 | 30 |
| Field greaser | 73 | | | | Hammer chipping / welding | 93 | |
| Files thread | 36 | | | | Hammers body repair | 90 | |
| Filter cups / spanners | 78 | 79 | | | Hand operated greaser | 73 | |
| Filters air | 22 | | | | Handle die thread | 36 | |
| Filters diesel / petrol / oil | 82 | | | | Handle grease control | 74 | |
| Flange puller | 9 | | | | Handle tap thread | 36 | |
| Flap discs | 28 | | | | Headlight aimer | 43 | |
| Flap wheels | 28 | | | | Heat gun | 30 | |
| Flaring tools | 51 | | | | Helmets welding | 93 | |
| Flash back arrestors | 93 | | | | Hoists | 1 | 2 |
| Flint lighter | 93 | | | | Holder door opening | 90 | |
| Floor jacks | 3 | | | | Holder pulley | 69 | |
| Flow meter TIG / MIG | 92 | | | | Honda timing tools | 68 | |
| Flow meters fuel oil | 81 | | | | Hones cylinder | 32 | 35 |
| Flushing station | 49 | | | | Hook sets | 11 | 71 |
| Foamer | 83 | | | | Hose air | 18 | |
| Follower plates grease | 73 | | | | Hose clamp tools | 50 | |
| Foot operated greaser | 73 | | | | Hose clamps | 22 | |
| Ford timing tools | 59 | 63 | to | 66 | Hose connectors | 23 | |
| Fuel controls | 81 | 82 | | | Hose diesel / petrol | 82 | |
| Fuel flow meter common rail | 42 | | | | Hose grease | 74 | |
| Fuel injection tools | 52 | | | | Hose oil | 76 | |
| Fuel lid remover | 52 | | | | Hose reels air | 22 | |
| Fuel line tools | 50 | | | | Hose reels diesel / petrol | 82 | |
| Fuel pressure testers | 41 | | | | Hose reels grease | 74 | |
| Funnels | 77 | | | | Hose reels oil | 76 | |
| G | | | | | Hose shut off clamps | 52 | |
| Gaiters | 16 | | | | Hub pullers | 10 | 20 |
| Gas analyser | 40 | | | | Hydraulic cylinders | 5 | 90 |
| Gas R134A | 49 | | | | Hydraulic pumps oil | 88 | |
| Gas welding kit | 92 | | | | Hydrometers | 45 | 52 |
| Gauges feeler | 38 | | | | | | |
| Gauges screw pitch | 38 | | | | Ignition remover | 48 | |
| Gear oil dispenser | 75 | | | | Ignition tools | 48 | |
| Gearbox jacks | 86 | | | | Impact drills | 29 | 30 |
| Gearbox oil pump | 75 | | | | Impact driver | 46 | |
| Gearbox service station | 86 | | | | Impact wrenches | 24 | 29 30 |
| Glass removal kit | 90 | | | | Inflators air | 17 | |
| Gloves welding | 93 | | | | Infrared thermometer | 52 | |
| Glue gun | 30 | | | | Injector cleaner | 84 | |
| Goggles welding / grinding | 93 | | | | Injector pump locking tool | 85 | |
| Grease control | 74 | | | | Injector pump puller | 85 | |
| Grease couplers | 74 | | | | Injector seal installer | 85 | |
| Grease hose | 74 | | | | Injector seat cutters | 84 | |
| Grease hose reel | 74 | | | | Injector sockets | 84 | 85 |
| Greasers | 73 | | | | Insert tread repair sets | 35 | |
| Grinders | 6 | 25 | 29 | 30 | Inserts air | 23 | |
| Grinders angle | 25 | 29 | 30 | | Inspection camera's | 72 | |
| Grinders die | 24 | 29 | | | Inspection mirrors | 71 | |
| Grinding discs | 27 | | | | Inteli testers | 43 | |
| Grinding goggles | 93 | | | | Iron soldering | 48 | |
| Grinding wheels | 27 | | | | Iveco timing tools | 61 | 62 |
| Growler | 46 | | | | | | |

| | | | | 1114 | DLA | | | | | |
|---|----|------|----|------|----------------------------------|----------|----|----|----|----|
| | J | | | | N | | | | | |
| Jack stands | 2 | | | | Nitrogen generator | 17 | | | | |
| Jacks | 3 | 4 | 86 | 6 | Noise finder | 42 | | | | |
| Jacks transmission | 80 | 3 | | | Nozzle cleaner | 93 | | | | |
| Jaguar timing tools | 60 | 67 | , | | Nut runners ratchet | 24 | | | | |
| Jeep timing tools | 5 | 68 | } | | Nut splitter | 11 | | | | |
| Jug oil | 7 | , | | | 0 | | | | | |
| | L | | | | Oetiker clamps | 22 | | | | |
| Lancia timing tools | 6 | 62 | | | Oil cans | 77 | | | | |
| Land Rover timing tools | 5 | | to | 67 | Oil controls | 75 | | | | |
| Lapper valve | 33 | | | , 0, | Oil drains | 77 | | | | |
| Lathes brake | 3, | | | | Oil evacuators | 77 | | | | |
| Lead ligts | 7: | | | | Oil filter cups | 78 | | | | |
| LED lights | 72 | | | | Oil funnels | 77 | | | | |
| Leveler engine | 5 | | | | Oil hose | 76 | | | | |
| Lever type greaser | 7; | | | | Oil hose reels | 76 | | | | |
| Lever type pump | 7! | | | | Oil pressure tester | 42 | | | | |
| Lid spanner | 52 | 2 | | | Oil pumps | 75 | 80 | 81 | | |
| Lifts | 1 | | | | Oil trays | 76 | 77 | | | |
| Lighter flint | 9: | 3 | | | Opel timing tools | 53 | 59 | to | 63 | 67 |
| Lights inspection | 72 | 2 | | | Orbital sanders | 25 | 26 | | | |
| Load testers batteries | 44 | Į. | | | Oxygen sensor sockets | 85 | | | | |
| Lock remover | 48 | 3 | | | Р | | | | | |
| Lock ring plier | 87 | , | | | Packer grease | 74 | | | | |
| Lubricators air | 2 | | | | Pag oil | 49 | | | | |
| | M | | | | Pallet jacks | 4 | | | | |
| Mag base drill | 29 |) | | | Panel beating hammers | 90 | | | | |
| Magnetic bases | 39 | | | | Paraffin spray gun | 83 | | | | |
| Magnetic parts dishes | 7 | | | | Parts cleaners | 83 | | | | |
| Magnetic pick up tool | 7. | ı | | | Parts dishes magnetic | 71 | | | | |
| Magneto puller | 69 |) | | | Patches | 16 | | | | |
| Maintainers batteries | 40 | 3 | | | PCD Gauge | 15 | | | | |
| Manual greaser | 7: | 3 | | | Petrol hose | 82 | | | | |
| Mazda timing tools | 6: | 3 to | 66 | 6 68 | Petrol injector tester / cleaner | 84 | | | | |
| Measuring oil cans | 77 | 7 | | | Petrol pumps | 75 | 80 | 81 | | |
| Measuring tapes | 38 | 3 | | | Peugeot timing tools | 54 | 61 | 62 | 65 | 67 |
| Mechanics chairs | 4 | | | | Pick & hook sets | 11 | 71 | | | |
| Megatronic remover | 87 | 7 | | | Pick up tool | 71 | | | | |
| Mercedes Benz timing tools | 5 | 5 56 | 68 | 8 69 | Pilot bearing puller | 9 | | | | |
| Meters flow fuel oil | 8 | l | | | Pipe benders | 51 | | | | |
| Meters fuel | 8 | l | | | Pipe cutters | 50 | | | | |
| Meters oil / diesel / petrol | 8 | | | | Piston ring compressors | 34 | | | | |
| Micrometers | 39 | | | | Piston ring installer | 35 | | | | |
| MIG Welders | 92 | | | | Piston tools | 34 | 35 | | | |
| Mini timing tools | 5 | | 67 | 7 | Pit rack | 19 | | | | |
| Mirrors inspection | 7′ | | | | Pitman arm puller | 20 | | | | |
| Mitsubishi timing tools | 67 | | | | Plasma cutters | 92 | | | | |
| Motorcycle lifts | 2 | | | | Plates follower grease | 73 | | | | |
| Multimeters | 4! | | | | Plier battery | 47 | | | | |
| Multiplier torque | 7(| | | | Plier CV Boot | 87 | | | | |
| Multiplier wheel nuts Mushroom plugs | 18 | | | | Plier lock ring Plier relay | 87 48 | | | | |
| wusnroom plugs | | | | | | 48 | | | | |
| | N | | | | Plier valve stem | 34 | | | | |
| Nail guns air | 20 | | | | Plier wheel weight | 13 | | | | |
| Nail hole patches | 10 | | | | Pliers crimping | 47 | | | | |
| Nailers air | 20 | | | | Plugs tyre repair | 16 | | | | |
| Needle scaler air | 27 | | | | Pneumatic hose | 18 | | | | |

| _ | | | | | DLA | | |
|-----------------------------|----|----|----|------|-------------------------------|----|-------|
| Р | | | | | S | | |
| Pneumatic oil pump | 75 | 76 | | | SAC Clutch alignment tool | 86 | |
| Polisher | 26 | | | | Sand blaster | 83 | |
| Pom Pom greaser | 73 | | | | Sanders | 25 | 26 |
| Porta Power | 88 | | | | Sanding block | 90 | |
| Positioning jacks | 4 | 90 | | | Sanding discs | 28 | |
| Press drills | 6 | | | | Saw | 25 | 29 |
| Presses hydraulic | 7 | | | | Scanner | 40 | |
| Pressure washer | 83 | | | | Screw compressors | 21 | |
| Production rolls | 28 | | | | Screw extractors | 10 | |
| Pull back ram | 90 | | | | Screw pitch gauges | 38 | |
| Pull clamps | 91 | | | | Scribers | | 71 |
| Puller dent | 88 | 89 | | | Seal pullers | 11 | |
| Puller injector pump | 85 | | | | Seal remover / installers | 11 | |
| Puller injectors | 84 | 85 | | | Seat cover | 72 | |
| Puller magneto | 69 | | | | Seat cutter valves | 33 | |
| Pullers | 8 | to | 11 | 20 4 | 7 Seat grinder valves | 33 | |
| Pulley holder | 69 | | | | Seater tyre bead | 18 | |
| Pump accessories fuel oil | 82 | | | | Sensor sockets | 84 | 85 |
| Pump locking tool injection | 85 | | | | Seperators bearing | 8 | to 10 |
| Pumps diesel | 75 | 80 | 81 | | Sets drill bits | 37 | |
| Pumps hydraulic | 88 | | | | Sets tap & die | 37 | |
| Pumps oil | 75 | 80 | 81 | | Shims | 20 | |
| Pumps petrol | 75 | 80 | 81 | | Shock presses | 7 | 8 |
| Q | | | | | Shock sockets | 8 | |
| Quick couplers | 23 | | | | Shock vice | 8 | |
| R | | | | | Shop presses | 7 | |
| Radial patches | 16 | | | | Skimmer brakes | 31 | |
| Radiator pressure testers | 51 | | | | Slide hammer pullers | 9 | 10 20 |
| Radio tools | 48 | | | | Slip plates | 19 | |
| Ramps | 2 | | | | Smoke tester | 40 | |
| Random orbital sanders | 25 | 26 | | | Snap in tool tyres rims | 15 | |
| Range Rover timing tools | 53 | 67 | | | Sockets alternator | 47 | |
| Rasp tyres tubes | 15 | | | | Sockets injectors | 84 | 85 |
| Rasp adaptor tyres tubes | 15 | | | | Sockets sensors | 84 | 85 |
| Ratchet wrenches | 24 | | | | Sockets sump plugs | 77 | |
| Reaming tool tyres | 15 | | | | Sockets wheel lock | 15 | |
| Reciprocating saw | 25 | | | | Soft soap tyres | 16 | |
| Reel oil hose | 76 | | | | Solder | 48 | |
| Refacer valve | 33 | | | | Soldering iron | 48 | |
| Refractometer | 45 | 52 | | | Solution cement tyres tubes | 16 | |
| Regulator gas welding | 92 | | | | Spanner support | 15 | |
| Regulators air | 22 | | | | Spanner turbo | 52 | |
| Relay plier | 48 | | | | Spark lead plier | 48 | |
| Renault timing tools | 61 | to | 63 | 66 | Spark plug thread repair set | 35 | |
| Repair bench body | 88 | | | | Speed file body | 89 | |
| Ribbed pulley puller | 9 | | | | Spot weld cutter body | 90 | |
| Rim gauge PCD | 15 | | | | Spot weld dent puller | 88 | |
| Riston ring groove cleaner | 35 | | | | Spray booth | 88 | |
| Riveter air | 27 | | | | Spray gun paraffin | 83 | |
| Rivets | 27 | | | | Spring calipers | 39 | |
| Rivnut tool | 90 | | | | Spring clamp remover exhausts | 87 | |
| Road changing aid | 17 | | | | Spring compressors shocks | 7 | 8 |
| Rolling jacks lift pit | 1 | | | | Squares | 38 | |
| Rotary burrs | 37 | | | | Stapler air | 26 | |
| Rotary pumps | 75 | | | | Steering wheel holder | 19 | |
| Rover timing tools | 53 | 67 | | | Step drills | 37 | |
| Rulers | 38 | | | | Stethoscope | 42 | |

| | • | | | | | | | | | | |
|---------------------------------|---|----------------|----------|----|----|----|---|----------|----|----|----|
| | S | | | | | | Т | | | | |
| Stitcher tyres tubes | 1 | 15 | | | | | Timing tools Range Rover | 53 | 67 | | |
| Straight edges | | 88 | | | | | Timing tools Renault | 61 | to | 63 | 66 |
| Straightener chassis body | | 38 | | | | | Timing tools Rover | 53 | 67 | | |
| Stretch belt installer | | 39 | | | | | Timing tools Toyota | 67 | 68 | | |
| Strippers tyre | | 14 | | | | | Timing tools universal | 68 | | | |
| Strippers wire | | 14 | | | | | Timing tools Volvo | 63 | to | 66 | |
| Strut compressors shocks | | 7 | 8 | | | | Timing tools VW Audi | 56 | to | 59 | 69 |
| Strut sockets shocks | | 8 | | | | | Toe in gauge | 19 | | | |
| Strut vice shocks | | 8 | | | | | Torque angle gauge | 70 | | | |
| Stud removers | | 10 | | | | | Torque multiplier | 70 | | | |
| Suction gun oil | | 75 77 | | | | | Torque wrenches | 70 67 | 68 | | |
| Sump plug sockets | | 15 | | | | | Toyota timing tools | 86 | 00 | | |
| Surge protectors Swivel grease | | 13 74 | | | | | Transmission jacks Transmission pressure tester | 42 | | | |
| Synchroniser carburettor | | 12 | | | | | Trays oil | 76 | | | |
| Synchroniser carburettor | | +2 | | | | | · · | | | | |
| | T | | | | | | Tread depth gauges | 18 | | | |
| Tachometer RPM | | 12 | | | | | Trestles | 2 | | | |
| Tail pieces | | 23 | | | | | Trim tools | 89 | | | |
| Tap & Die sets | | 37 | | | | | Trolley decanting | 77 | | | |
| Tapes measuring | | 38 | | | | | Trolley jacks | 3 | | | |
| Taps thread | | 36 | | | | | Trollies | | 76 | 77 | |
| Telescopic gauges | | 39 | | | | | Truck wheel nut remover | 18 | | | |
| Temperature tester | | 52 | | | | | Tube benders | 51 | | | |
| Tension gauge belt | | . - | | | | | Tubeless plug insert tool tyres | 15 | | | |
| Terminal cleaner | | 17 | | | | | Tubeless repair plugs tyres | 16 | | | |
| Tester brake fluid | | 32 | | | | | Tubeless tyre levers | 14 | | | |
| Tester radiator | | 51 33 | | | | | Tubeless tyre repair kits | 16 52 | | | |
| Tester valve spring Thermometer | | 52 | | | | | Turbo spanner Turntables wheel alignment | 19 | | | |
| Thread files | | 36 | | | | | Twist nut remover | 11 | | | |
| Thread repair sets | | 35 | | | | | Tyre buffer | 18 | 24 | | |
| Tie rod end tools | | 20 | | | | | Tyre cages | 17 | 24 | | |
| TIG Welders | | 92 | | | | | Tyre cages Tyre cement | 16 | | | |
| Timing lights | | 12 | | | | | Tyre changers | 14 | | | |
| Timing tools | | | 69 | | | | Tyre connectrors | 17 | | | |
| Timing Tools Alfa Romeo | | 59 | to | 62 | | | Tyre inflators | 17 | | | |
| Timing tools BMW | | | to | 55 | 67 | 69 | Tyre lubricant | 16 | | | |
| Timing tools Chery | 6 | 88 | | | | | Tyre pressure gauges | 18 | | | |
| Timing tools Chevrolet | Ę | 59 | 60 | | | | Tyre repair consumables | 16 | | | |
| Timing tools Chrysler | Ę | 55 | 68 | | | | Tyre repair kits | 16 | | | |
| Timing tools Citroen | Ę | 54 | 61 | 62 | 65 | 67 | Tyre repair tools | 14 | 15 | | |
| Timing tools Dodge | 6 | 8 | | | | | Tyre valve tool | 15 | | | |
| Timing tools Fiat | ŧ | 59 | to | 62 | | | Tyre valves | 16 | | | |
| Timing tools Ford | | 59 | 63 | to | 66 | | U | | | | |
| Timing tools Honda | | 88 | | | | | Ultrasonic leak testers body | 42 | | | |
| Timing tools Iveco | | | 62 | | | | Universal timing tools | 68 | | | |
| Timing tools Jaguar | | | 67 | | | | UV Light | 49 | | | |
| | | | | | | | V | ., | | | |
| Timing tools Jeep | | | 68 | | | | | | | | |
| Timing tools Lancia | | | 62 | | | | V Blocks | 39 | | | |
| Timing tools Land Rover | | | 65 | | 67 | | Vacuum cleaner | 83 | | | |
| Timing tools Mazda | | 3 | to | 66 | 68 | | Vacuum pressure testers | 41 | | | |
| Timing tools Mercedes Benz | | 55 | 56 | 68 | 69 | | Valve caps tyres | 16 | | | |
| Timing tools Mini | | 53 | 54 | 67 | | | Valve cores tyres | 16 | | | |
| Timing tools Mitsubishi | | 57 | | | | | Valve lapper | 33 | | | |
| Timing tools Nissan | | | 63 | 4 | 00 | 67 | Valve refacer | 33 | | | |
| Timing tools Opel | | 53 | 59 64 | to | 63 | | Valve seat cutter / grinder | 33 | | | |
| Timing tools Peugeot | | 54 | 61 | 62 | 65 | 6/ | Valve spring compressor | 34 | | | |

| V | | W | |
|-------------------------|-------------|------------------------|----------|
| Valve spring tester | 33 | Wheel balancers | 12 |
| Valve stem pliers | 34 | Wheel chocks | 4 |
| Valve tool tyres | 15 | Wheel dollies | 17 |
| Valve tools engine | 33 34 | Wheel lock sockets | 15 |
| Valves tyres | 16 | Wheel spanner support | 15 |
| Verniers | 38 | Wheel weight plier | 13 |
| Vices bench drill press | 6 | Wheel weights | 13 |
| Viscous fan spanners | 52 | Wheelmate | 15 |
| Voltage testers | 43 44 45 | Wheels grinding | 27 |
| Volvo timing tools | 63 to 66 | Wind back tool brakes | 31 |
| VW Audi timing tools | 56 to 59 69 | Winsdcreen removal kit | 90 |
| W | | Wire brushes | 27 93 |
| Washer high pressure | 83 | Wire stripper | 48 |
| Water paper | 28 | Wire wheels | 27 |
| Weight trays | 13 | Work benches | 6 |
| Weights wheel | 13 | Wrench oil filter | 78 79 |
| Welders | 92 | Wrenches impact | 24 29 30 |
| Welding brush | 93 | Wrenches ratchet | 24 |
| Welding gloves | 93 | Wrenches torque | 70 |
| Welding helmets | 93 | Z | |
| Wheel aligner | 19 | Z Swivel grease | 74 |

2 Post lifts



002-010 2 Post lift With base

Electro hydraulic 230V Single phase or 380V Three phase (on request). Capacity 4000Kg.

The arms lock automatically when raised.
Three sets of extension adaptors included.
Suitable for most car, bakkie and 4X4 vehicles. Single point lock release for easy operation. Complies with all safety regulations.



002-020 2 Post lift

Base free Electro hydraulic 230V Single phase or 380V Three phase (on request).

Capacity 4000Kg.

The arms lock automatically when raised.
Three sets of extension adaptors included.
Suitable for most car, bakkie, and 4X4 vehicles.

Very low maintenance required due to direct drive cylinders. Single point lock release for easy operation.

Complies with all safety regulations

4 Post lifts



004-010 4 Post lift

4000 Kg capacity

220V Single phase or 380V three phase (on request).

Mechanical safety lock and electrical safety switches at each pillar. Pneumatically operated locks ensure that lift is always 100% level.

Lift can be mechanically lowered in case of power failure. Complies with all safety regulations. Auxiliary jack not included.



004-020 4 Post lift With alignment plates 4000 Kg capacity

220V Single phase or 380V three phase (on request).

Suitable for wheel alignment with built in slip plates and turntable recesses.

Turntables not included.

Mechanical safety lock and electrical safety switches at each pillar.

Pneumatically operated locks ensure that lift is always 100% level.

Lift can be mechanically lowered in case of power failure.

Complies with all safety regulations.

Auxiliary jack not included.

Auxiliary jacks



Auxilliary jack
Pneumatically operated
2800 Kg capacity. To be used with Peak 4 Post lift or most 4 Post lifts and pits, with rail at the bottom.
Complete with cradle, lifting pads and extension pieces.
Mechanical safety lock

Low level lifts





008-010 Low level lift

Low level lift
Double cylinders
Capacity 4.5 Ton.
Uses professional hydraulic pump 220V Single phase
or 380V Three phase (on request).
Uses double cylinders for higher capacity.
Suitable for cars and 4X4 vehicles.
Used in tyre shops, general workshops and panel beaters.
Maximum height 600mm.

008-020
Low level lift
Single cylinder
Capacity 2.8 Ton.
Uses professional hydraulic pump 220V Single phase

or 380V Three phase (on request).
Suitable for cars and 4X4 vehicles.
Used in tyre shops, general workshops and panel beaters.
Maximum height 600mm.

Motorcycle lifts



Motorcycle lift
Pneumatically operated
Capacity 450 Kg
Minimum height 195 mm.
Maximum height 780 mm. Weight 123Kg.



010-020

010-020
Motorcycle lift
Pneumatically or manually operated
Capacity 450 Kg
Minimum height 180mm.
Maximum height 780 mm.
Weight 141Kg.

Ramps



010-030 Motorcycle lift Manually operated Capacity 500 Kg Minimum height 100mm. Maximum height 340mm. Weight 15Kg.



012-010

Car ramps
Sold in pairs
Length 820mm
Width 300mm

Height 225mm



| Heavy duty | / car ramps | | |
|------------|-------------|-------|--------|
| Code | Length | Width | Height |
| 012-020 | 1200mm | 250mm | 250mm |
| 012-030 | 1500mm | 250mm | 250mm |

Trestles



| | With ratchet & safety pin Sold in pairs | | | | | | | | | | | |
|-----------|--|------------|------------|--|--|--|--|--|--|--|--|--|
| Code | Capacity | Min height | Max height | | | | | | | | | |
| 014-010 | 2 Ton | 275mm | 420mm | | | | | | | | | |
| 014-020 | 3 Ton | 285mm | 425mm | | | | | | | | | |
| 014-030 | 6 Ton | 390mm | 605mm | | | | | | | | | |
| 01/1-0/10 | 12 Ton | 465mm | 715mm | | | | | | | | | |



| Trestles With pin Sold individua | lly | | |
|----------------------------------|----------|------------|------------|
| Code | Capacity | Min height | Max height |
| 014-050 | 2 Ton | 1200mm | 1800mm |
| 014-060 | 3 Ton | 320mm | 520mm |
| 014-070 | 6 Ton | 375mm | 560mm |
| 014-080 | 12 Ton | 470mm | 770mm |
| 014-090 | 25 Ton | 520mm | 790mm |
| 014-100 | 50 Ton | 520mm | 790mm |

Bottle jacks





| Bottle jacks | s | | | | |
|--------------|----------|------------|--------|------------|------------|
| Code | Capacity | Min height | Stroke | Adjustment | Max height |
| 016-010 | 2 Ton | 181mm | 116mm | 48mm | 345mm |
| 016-020 | 4 Ton | 194mm | 118mm | 60mm | 372mm |
| 016-030 | 6 Ton | 216mm | 127mm | 70mm | 413mm |
| 016-040 | 8 Ton | 230mm | 147mm | 80mm | 457mm |
| 016-050 | 10 Ton | 230mm | 150mm | 80mm | 460mm |
| 016-060 | 12 Ton | 230mm | 155mm | 80mm | 465mm |
| 016-070 | 15 Ton | 230mm | 150mm | 80mm | 460mm |
| 016-080 | 20 Ton | 242mm | 150mm | 60mm | 452mm |
| 016-090 | 32 Ton | 285mm | 180mm | | 465mm |
| 016-100 | 50 Ton | 300mm | 180mm | | 480mm |
| 016-110 | 100 Ton | 300mm | 180mm | | 480mm |

Air bottle jacks





| Bottle jacks Pneumatic | | | | | |
|---------------------------|----------|------------|--------|------------|------------|
| Code | Capacity | Min height | Stroke | Adjustment | Max height |
| 018-010 | 20 Ton | 265mm | 165mm | 80mm | 510mm |
| 018-020 | 30 Ton | 280mm | 190mm | | 470mm |
| 018-030 | 50 Ton | 307mm | 178mm | | 485mm |



020-010

Trolley jack
With quick lift pedal
3 Ton
Suitable for most workshops Includes foot pedal for fast operation Minimum height 150mm Maximum height 490mm Body length 630mm



020-020

Trolley jack
With 4X4 adaptor
3 Ton
Special trolley jack suitable for most workshops with built in adaptor to accommodate low vehicles as well as 4 x 4 vehicles
Minimum height 98 or 245mm
Maximum height 585mm
Body length 795mm



020-030 Trolley jack Low profile 4 Ton

Low profile trolley jack suitable for workshops with low vehicles
Minimum height 1000mm Maximum height 508mm Body length 685mm



Trolley jack DIY type 3 Ton

Light duty trolley jack for DIY use. Handle turns 360 degree Minimum height 130mm Maximum height 410mm Body length 590mm



| Scissors jacks | | | | | |
|----------------|----------|------------|------------|--------|--|
| Code | Capacity | Min height | Max height | Length | |
| 022-010 | 1 Ton | 88mm | 383mm | 426mm | |
| 022-020 | 2 Ton | 90mm | 380mm | 460mm | |



020-050 Trolley jack Aluminium 3 Ton

Aluminium trolley jack used for racing purposes because of light weight. Professional heavy duty. Minimum height 100mm Maximum height 465mm Body length 770mm



| eavy duty | | | | |
|-----------|----------|------------|------------|--------|
| Code | Capacity | Min height | Max height | Length |
| 020-060 | 3 Ton | 130mm | 630mm | 1400mm |
| 020-070 | 5 Ton | 150mm | 560mm | 1510mm |
| 020-080 | 10 Ton | 160mm | 560mm | 1640mm |
| 020-090 | 15 Ton | 220mm | 680mm | 1550mm |
| 020-100 | 20 Ton | 220mm | 680mm | 1550mm |
| | | | | |

Trolley jacks





Forklift jack

026-010 Forklift jack 5 Ton Forklift trolley jack Minimum height 70mm Maximum height 365mm

Pallet jacks

| Pallet jacks | | | |
|--------------|----------|---------------|--------|
| Code | Capacity | Outside width | Length |
| 028-010 | 2 Ton | 550mm | 1100mm |
| 028-020 | 2 Ton | 685mm | 1200mm |
| 028-030 | 2.5Ton | 550mm | 1100mm |
| 028-040 | 2.5Ton | 685mm | 1220mm |
| 028-050 | 3 Ton | 550mm | 1100mm |
| 028-060 | 3 Ton | 685mm | 1250mm |

Car dolly's



| 030-010 Car dolly |
|---|
| 450Kg capacity per dolly |
| Suitable to move small to medium |
| cars around. Sold in pairs. |
| Each dolly capable of supporting 450Kg |
| therefore a vehicle of maximum 1.8 Ton weight |
| |

Positioning jack



030-020 Positioning jack Hydraulic type

Hydraulic type
700Kg Capacity
Suitable to move most cars and 4X4 around.
Each dolly capable of supporting 700Kg
therefore a vehicle of maximum 2.8 Ton weight



032-010 Mechanics chair Pneumatically adjustable seat by 120mm



032-020 Mechanics chair Includes drawer under seat

Creepers



034-010 Padded steel creeper 6 Wheels Length 1025mm



| Steel heavy duty creepers | | | | |
|---------------------------|----------|--------|--|--|
| Code | Wheels | Length | | |
| 034-030 | 4 Wheels | 900mm | | |
| 034-040 | 6 Wheels | 1200mm | | |



034-020 Plastic creeper 6 Wheels Length 1010mm

Chocks



034-050 Nylon webbing creeper 4 Wheels Length 1300mm



034-060 Nylon webbing creeper 6 Wheels Length 1300mm



| Wheel chocks | | | |
|---------------|---------|---------------|----------|
| Code | Purpose | Size | Material |
| 036-010 | Car | 105x75x75mm | Rubber |
| 036-020 | Truck | 326x204x161mm | Steel |
| Sold in pairs | | | |



Engine stand
340Kg capacity
Engine stand on wheels. Suitable for small engines up to 2L capacity



Engine stand 460Kg capacity Engine stand on wheels. Suitable for small to medium engines 2L to 3L capacities



Engine stand

570Kg capacity Engine stand on wheels.
Suitable for medium to large engines 3L and above





040-010

Engine crane
1 Ton capacity
Engine crane on wheels and foldable to save space when storing. Minimum height 25mm Maximum height 2000mm



Engine crane
2 Ton capacity
Engine crane on wheels and foldable to save space when storing. Minimum height 25mm Maximum height 2000mm



040-030

Engine crane
3 Ton capacity Engine crane on wheels for heavy Minimum height 0mm Maximum height 2300mm

Engine leveler



Engine leveler

680Kg capacity
Engine leveler to be used when




Engine crane cylinders

Hydraulic cylinder for engine cranes
Capacity 8000 Kg. Minimum height 630mm. Maximum height 1120mm



Engine support
300Kg capacity
Engine support with single chain
Length 980mm

Engine supports



046-020

Engine support
500Kg capacity
Engine support with double chain Length 1500mm



| Workbench Standard 3mm Steel top | | | |
|--|--------|--------|-------|
| Code | Length | Height | Depth |
| 048-010 | 1500mm | 850mm | 750mm |
| 048-020 | 1800mm | 850mm | 750mm |
| 048 030 | 2400mm | 850mm | 750mm |



| Workbench Half locker 3 drawers 3mm Steel top | | | |
|---|--------|--------|-------|
| Code | Length | Height | Depth |
| 054-010 | 1500mm | 850mm | 750mm |
| 054-020 | 1800mm | 850mm | 750mm |
| 054-030 | 2400mm | 850mm | 750mm |

Vice stand



060-010
Bench vice stand
Suitable for 100mm, 150mm
and 200mm bench vices

Bench grinder stand



Work benches



| Workbench Half locker 3mm Steel top | | | |
|---|--------|--------|-------|
| Code | Length | Height | Depth |
| 050-010 | 1500mm | 850mm | 750mm |
| 050-020 | 1800mm | 850mm | 750mm |
| 050-030 | 2400mm | 850mm | 750mm |



| Workbe Full lock 3mm St | er | | |
|-------------------------------|--------|--------|-------|
| Code | Length | Height | Depth |
| 052-010 | 1500mm | 850mm | 750mm |
| 052-020 | 1800mm | 850mm | 750mm |
| 052-030 | 2400mm | 850mm | 750mm |

Bench vices



| Bench vice Heavy duty | |
|--------------------------|----------|
| Code | Jaws |
| 056-010 | 100mm 4" |
| 056-020 | 150mm 6" |
| 056-030 | 200mm 8" |



| Bench vio | |
|-----------|----------|
| Code | Jaws |
| 058-010 | 100mm 4" |
| 058-020 | 150mm 6" |
| 058-030 | 200mm 8" |

Bench grinders



| Bench grinder Medium duty | | |
|------------------------------|-------|--|
| Code Wheel | | |
| 062-010 | 150mm | |
| 062-020 | 200mm | |

Drill presses



| Pedestal o | drill | | | | |
|------------|---------|----------|-------|-------|---|
| Code | Voltage | Capacity | Chuck | Model | I |
| 068-010 | 220V | 16mm | 16mm | Bench | |
| 068-020 | 220V | 20mm | 16mm | Floor | |
| 068-030 | 380V | 32mm | 16mm | Floor | |



| Bench grinder Heavy duty | | |
|-----------------------------|--|--|
| Code Wheel | | |
| 064-010 200mm | | |
| 064-020 250mm | | |

Drill press vices



| Drill vice | |
|------------|--------|
| Heavy duty | |
| Code | Throat |
| 070-010 | 100mm |
| 070-020 | 150mm |



Hydraulic shop press
Bottle jack type without gauge 12 Ton Stroke 175mm Working capacity 0-930mm



Stroke 160mm Working capacity 0-840mm



074-010
Coil spring compressor
Professional unit pneumatically operated
Capacity 1260Kg



Hydraulic shop press
Professional press with gauge
12 Ton Stroke 160mm Working capacity 0-920mm



Hydraulic shop press Professional press with gauge 40 Ton Stroke 175mm Working capacity 0-890mm Includes winch to lift or lower cradle



Coil spring compressors



Coil spring compressor Professional unit pneumatically operated Capacity 1000Kg



Hydraulic shop press
Professional press with gauge Stroke 185mm Working capacity 0-910mm



072-060 Hydraulic shop press Professional press with gauge 50 Ton Stroke 175mm Working capacity 0-890mm Includes winch to lift or lower cradle



Coil spring compressor
Supplied complete with 3 sets of shoes.
Operation is very safe and fast to use.
Capacity more than 1100 Kg.

074-030 Coil spring compressor Floor standing hydraulic type Capacity 1 Ton Maximum length 480mm

Stroke 325mm Spring diameter 100-254mm

Coil spring compressors



074-040

Coil spring compressor
Capacity 1 Ton
Portable hydraulic type
Two sets shoes included

Shock absorber strut vice



Coil spring compressor

External type. Two legs with double hooks on both sides. Pressure is evenly balanced and operation is safer.

Strut sockets



Strut nut Mercedes Benz 14mm

Bearing seperators



| Bearing separator | | |
|-------------------|------------|--|
| Code | Size | |
| 082-010 | 30 - 50mm | |
| 082-020 | 50 - 75mm | |
| 082-030 | 75 - 105mm | |
| | | |



| | Bearing puller 2 and 3 Jaw | |
|---------|----------------------------|--|
| Code | Capacity | |
| 088-010 | 2 Ton | |
| 088-020 | 5 Ton | |



Coil spring compressor
External type. Includes three legs so that pressure is evenly balanced around the coil.



Strut nut kit
Designed to hold the damper shaft during the re-fitting and removal of strut nuts. Sizes 10.5, 12.5, 14, 14.5 and 14.5mm sockets.



| Bearing puller 2 Jaw | |
|-------------------------|------|
| Code | Size |
| 084-010 | 75mm |
| 084-020 100mm | |
| 084-030 150mm | |
| 084-040 200mm | |
| 084-050 300mm | |



Strut vice Vice to mount shock

absorber onto

080-030
Master strut kit
39 Piece. A complete set to remove or install shock absorbers.

Bearing pullers



| Bearing puller 3 Jaw | | |
|-------------------------|-------|--|
| Code | Size | |
| 086-010 | 75mm | |
| 086-020 | 100mm | |
| 086-030 | 150mm | |
| 086-040 | 200mm | |
| 086-050 | 300mm | |



090-010
Bearing separator set
Includes 1 x Bearing separator



094-010
Hydraulic bearing puller set
Can be set up as an 2 or 3 leg
puller set
10 Ton hydraulic ram



096-020
Ribbed pulley puller
Clamps designed to clamp to most ribbed pulley's



098-020 Blind (inner) bearing puller 5 Piece 10 - 14, 15 - 19, 18 - 25, 25 - 32mm

Bearing pullers



090-020 Bearing separator set Includes 2 x Bearing separators



096-010
Multi bearing puller set
Special design locks legs in
closed position when pulling
to prevent legs from opening



096-030 Flange puller Universal 2 or 3 position setup



098-030 Blind (inner) bearing puller9 Piece
8 - 10, 10 - 12, 12 - 14, 15 - 17, 17 - 20, 20 - 24, 25 - 29, 30 - 32mm



092-010
Hydraulic gear puller set
3 Sets of 3 and / or 2 leg pullers
1 Bearing separator
10 Ton hydraulic ram



098-010
Slide hammer puller set
3 Jaw internal or external puller. Includes slide hammer. Capacity 15 to 80mm



096-040 Pilot bearing puller 12 - 38mm Capacity



098-040 Blind (inner) bearing puller set 16 Piece 8 - 11, 12 - 17, 18 - 23, 24 - 29, 30 - 34, 34 - 38, 39 - 43, 44 - 48, 49 - 53, 54 - 58mm 1 x Puller included



100-010 Hub puller

Removes wheel hubs mounted on tapered axles. Three adjustable legs adjustable up to



Screw extractor set 8 Piece.

Quick and easy to remove broken screws, pipes, bolts and studs. Sizes 3, 6, 8, 12, 14, 19, 25, 28mm



102-040

Scew extractor, drill and guide set 25 Piece.

Can be used to remove studs with sizes 5 to 16mm in diameter (3/16" to 9/16")



Stud Extractor Set

4 Piece.
Designed for working in hard to reach places Sizes 6, 8, 10 & 12mm

Bearing pullers



Slide hammer hub puller set Combination puller with 2 Kg steel slide hammer. Also converts into a 2 or 3 jaw internal or external puller.

Stud / Screw extractors



102-020

Screw extractor set 5 Piece.

Quick and easy to remove broken screws, pipes, bolts and studs. Sizes 7/64", 9/64", 5/32", 1/4", 19/64"



Scew extractor, drill and guide set 25 Piece.

Can be used to remove studs with sizes 5 to 16mm in diameter (3/16" to 9/16")



102-080

Stud Extractor Set

Designed for working in hard to reach places Sizes 5, 6, 7, 8, 10, 10.5, 11, 12, 14 & 16mm



092-020 Hydraulic puller

Spread 55 - 255mm Reach 70 - 250mm Stroke 60mm



102-030

Screw extractor set

Quick and easy to remove broken screws, pipes, bolts and studs. Sizes 1/8", 1/4", 5/16", 7/16", 9/16" Includes tap handle



102-060 Stud Extractor

Designed to remove studs 6 to 19mm in



| Stud puller Designed for working in hard to reach places | | |
|--|------|--|
| Code | Size | |
| 102-090 | 6mm | |
| 102-100 | 8mm | |
| 102-110 | 10mm | |
| 102-120 | 12mm | |

Nut splitter



102-130

Nut splitter
To split nuts when it's impossible to remove otherwise Suitable for nuts from 5 to 16mm

Nut removers



102-140

Damaged bolt & nut extractor
4 Piece. Designed to remove damaged nuts and bolts. 1/2" Drive. 17mm, 19mm, 21mm & 22mm tube sockets with 80mm Drift.



102-150

Damaged bolt & nut extractor
10 Piece. Designed to remove damaged nuts and bolts. 3/8" Drive. 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm & 90mm Drift

Seal puller



Seal puller

300mm long

Suitable to remove oil and grease seals in automotive vehicles



Mini pick and hook set

4 Piece For removal of bushings, cotter pins, O-rings & seals. Curve hook, 45-degree hook, 90 degree hook, straight Pick.



Mini pick and hook set

For removal of bushings, cotter pins, O-rings & seals. Curve hook, 3 x 45-degree hook, 90 degree hook, straight Pick.



Seal remover and installer set 20 Piece

Includes puller

Ideal for crank shaft and other oil seals



104-050

Bearing Extractor
For installing and removing bearings.
Adaptor size: 35, 35, 37, 39, 40, 41, 42, 45mm
Ring size: 60, 62, 64, 66, 68, 72, 74, 80, 82, 84mm



104-060

Bearing and seal driver set For installation of bearings and seals 39.5, 44.5, 50, 59, 63, 65, 72, 76, 81mm flanges



Crankshaft seal flange remover / installer

VW. Audi 1.4 1.6 16V



Crankshaft seal flange remover / installer

VW, Audi 1.9 2.0



104-090 Oil seal installer kit Isuzu crankshaft

Wheel balancers



Semi Automatic wheel balancer Wheel cover included.

Automatic start and stop after 6 seconds.

Dynamic, static and mag rim programs included.
Self calibrating, and diagnostics program standard.
Special stick on MAG and hidden weight program included.

Includes cone adaptors, quick release nut, rim caliper,

wheel weight plier and 4x4 cone.

Blind wheel and motor cycle adaptor optional





106-020

Automatic wheel balancer Wheel cover included.

Automatic start and stop after 6 seconds.

Rim distance and rim diameter recorded automatically.

Dynamic, static and mag rim programs included.

Laser beam included for very accurate positioning of the internal weight. Self calibrating, and diagnostics program standard.
Special stick on MAG and hidden weight program included...
Includes cone adaptors, quick release nut, rim caliper, wheel weight plier and 4x4 cone.

Blind wheel and motor cycle adaptor optional.

Semi Automatic wheel balancer (Truck) Wheel cover included.

Automatic start and stop.

Dynamic, static and mag rim programs included. Self calibrating, and diagnostics program standard.
Includes cone adaptors, stud adaptors quick release nut, rim caliper, wheel weight plier, 4x4 and truck adaptors.

Pneumatic lifting bridge included.

380V Three phase.

Wheel balancer adaptors





Large cone (5th Cone)
To be used with wheels with very large center holes or on some small truck wheels

108-020 Flange

To be used together with the large cone for wheels with very large center holes or on some small truck wheels



Motorcycle adaptor
Suitable for most motorcycle wheels including blind wheel balancing such as Harley Davidson wheels without spokes



Motorcycle adaptor
Recommended for motorcycle open wheel balancing. Not possible to balance blind wheels such as Harley Davidson wheels without spokes




<u>108-0</u>50

Blind wheel adaptor
To be used with blind rims such as Peugeot / Renault or in the event of rim damage around center hole

Wheel weights







| Mag wheel weights (Mag rims) | | | | |
|------------------------------------|-----------------------|----------|--|--|
| | | Quantity | | |
| 112-005 | 5g | 50 | | |
| 112-010 | 10g | 50 | | |
| 112-015 | 15g | 50 | | |
| 112-020 | 20g | 50 | | |
| 112-025 | 25g | 50 | | |
| 112-030 | 30g | 50 | | |
| 112-035 | 35g | 50 | | |
| 112-040 40g 50 | | | | |
| 112-045 | 112-045 45g 50 | | | |
| 112-050 | 50g | 50 | | |
| 112-055 | 55g | 50 | | |
| 112-060 60g 50 | | | | |
| Other weights available on request | | | | |

Wheel balancer accessories



| Stick on weights | | | |
|------------------|-------------|--------|----------|
| Code | Description | Colour | Quantity |
| 114-010 | Slim line | Silver | 100 |
| 114-020 | Slim line | Black | 100 |
| 114-030 | 4 X 4 | Silver | 50 |
| 114-040 | Jumbo | Silver | 50 |



116-010 Wheel weight plier



118-010 Wheel weight tray 16 Bins with panel



108-060 Wheel rim caliper Calibrated in inches



| Quick release nut for balancer Supplied complete with cup | |
|--|------|
| Code | Size |
| 108-070 36mm | |
| 108-080 | 40mm |



Semi Automatic tyre changer
Complete with inflator and tyre lever. 230V Single phase Capacity 10"- 24"

Tyre changers



Automatic tyre changer

Tyre changer complete help arm for run-flat or tough low profile tyres.

Machine has automatic tubeless inflation device with tyre inflator and tyre lever. 230V Single phase Capacity 10"- 24"



Automatic tyre changer
Tyre changer complete help arm for run-flat or tough low profile tyres.
Complete with tyre inflator and tyre lever. 230V Single phase Capacity 10"- 24"



Semi Automatic tyre changer Suitable for truck, bus, tractor and earth mover tyres Rims 14" to 56" diameter 380V Three phase



Semi Automatic tyre changer Suitable for truck and bus tyres Rims 14" to 26" diameter 380V Three phase

Motorcycle adaptors



Motorcycle and quad bike adaptors
Adaptors necessary to mount motorcycle tyres and quad tyres to car tyre changers





Rim protection cover (Top part)

Cover clips over the metal wheel to protect mag rims from scratching



Rim protection cover (Bottom part)
Cover clips under the mounting

head to protect mag rims from scratching

Bead knocker



Suitable for truck, bus, tractor and earthmover tyres

Tubeless tyre levers



Tubeless truck tyre changing system Suitable for truck and bus tubeless tyres



Rim protection covers (Clamps)

Sold as a set of four Covers clip over the metal clamps on turntable to protect mag rims from scratching



128-010 Wheel lock remover set (BMW) 21 Piece. Suitable to remove wheel locks on



128-020

Wheel lock remover set (VW / Audi)
23 Piece. Suitable to remove wheel locks on VW and Audi wheels.



128-030
Wheel lock remover set (Mercedes Benz)
30 Piece. Suitable to remove wheel locks on
Mercedes Benz wheels.



Tyre valve tool
Double ended with large and small bore on either side

Snap in tool

To be used to insert tubeless valves on rims



To be used to roll patches or gaiters on to tubes and tyres



130-040 Spiral reaming tool To be used to prepare hole before

inserting tubeless plug



130-050

Insert tool
To be used to insert tubeless plug when repairing a tubeless tyre



130-060

Rasp
To be used to prepare tyres and tubes before repairing. Rasp adaptor not included and you need a die grinder with 6mm chuck to operate



Rasp adaptor
This adaptor in necessary to fit the onto so that the rasp can be used with a die grinder



Wheelmate
Provides support to wheel spanner when tightening or loosening truck wheel nuts



PCD Gauge Suitable to measure 4, 5, 6 and 8 stud rims



| Patches tube round | | | |
|--------------------|-------------|----------|--|
| Code | Description | Quantity | |
| 132-010 | No1 | 30 | |
| 132-020 | No2 | 30 | |
| 132-030 | No3 | 30 | |
| 132-040 | No4 | 30 | |
| 132-050 | No5 | 10 | |



| Mushroom plugs | | | |
|----------------|-------------|----------|--|
| Code | Description | Quantity | |
| 138-010 | CP5 | 20 | |
| 138-020 | CP7 | 20 | |
| 138-030 | CP9 | 50 | |
| 138-040 | CP12 | 50 | |
| 138-050 | CP15 | 25 | |



| Tubeless repair kits Includes reamer & insert tool | | |
|---|---------|-------|
| Code | Vehicle | Plugs |
| 130-100 | Car | 60 |
| 130-110 | Truck | 25 |



146-010 Tubeless valves TR414 Supplied in packets of 100

Tyre repair consumables





| Universal patch (Nail hole) | | |
|-----------------------------|-------------|----------|
| Code | Description | Quantity |
| 134-010 | 55mm | 30 |
| 134-020 | 80mm | 20 |



| Tubeless plugs | | |
|----------------|-------------|----------|
| Code | Description | Quantity |
| 140-010 | Car | 60 |
| 140-020 | Truck | 25 |



144-010 Soft soap 25L Container Necessary to lubricate tyres when fitting



146-020 Valve cores Supplied in packets of 100





| Radial repair patch (rectangular) | | |
|-----------------------------------|------|----------|
| Code Description | | Quantity |
| 136-010 | R110 | 20 |
| 136-020 | R112 | 20 |
| 136-030 | R114 | 10 |
| 136-040 | R120 | 10 |



| Cement | | |
|---------|----------|--|
| Code | Quantity | |
| 142-010 | 250ml | |
| 142-020 | 500ml | |



144-020
Bead lube
5L
Necessary to lubricate tyres when fitting





| Valve caps Packets off 100 | | |
|----------------------------|--------|----------|
| Code | Colour | Function |
| 146-030 | Black | Standard |
| 146-040 | Green | Nitrogen |



148-020 Wheel dolly 1.2 Ton Capacity Maximum lift 225mm

Nitrogen generator



152-010 Nitrogen Generator Produces nitrogen at 42 L/min Pressure 8 Bar Suitable for truck and car wheels with built in 50L tank Complete with automatic tyre inflator / deflator



148-010 Wheel dolly 1 Ton Capacity Maximum lift 225mm

Tyre cage



| Safety tyre inflation cage Tyre safety cage for inflating truck tyres | | | | |
|---|--------|-------|--------|--|
| Code | Height | Width | Length | |
| 150-010 | 1300mm | 500mm | 1800mm | |
| 150-020 | 1800mm | 500mm | 1800mm | |
| 150-030 | 2100mm | 900mm | 2000mm | |

Tyre inflators



Automatic digital tyre inflator 220V Single phase (12V on request) Inflates of deflates tyres to the selected pressure Includes wall mounting bracket



156-010
Tyre inflator
Dial type
Entry level tyre inflator
with clip on connector
0 - 1200 kPa
0 - 12 Bar



156-030 Tyre inflator Liniar type Used in most driveways and workshops 0 - 960 kPa 0 - 9.6 Bar



156-020 Tyre inflator Liniar type Used in most driveways and workshops 0 - 960 kPa 0 - 9.6 Bar



156-040
High pressure tyre inflator
Liniar type
Used where high pressure
inflation is necessary
0 - 2100 kPa
0 - 21 Bar



| Hold on connector | |
|--------------------|------------|
| Code Closed / Open | |
| 158-010 | Open end |
| 158-020 | Closed end |



| Twin connector (tip) | |
|----------------------|---------------|
| Code | Closed / Open |
| 158-030 | Open end |
| 158-040 | Closed end |



158-050 Clip on connector Open end 1/4" BSP Female thread

Tyre pressure gauges



Tyre pressure gauge 0 - 1200 kPa 0 - 12 Bar

With twin hold on connector

Tyre Pressure gauge Pocket type 0.5-3.4 Bar 50-340kPa



160-030 Tyre Pressure gauge
Pocket type with twin connector
0.8-8.2 Bar 80-820kPa

Tyre tread depth gauges



Digital Tyre pressure & tread depth gauge
Digital LCD display
Change beween PSI & kPa or mm & Inches



Tyre tread depth gauge Pocket type

Nut remover (multiplier)



Truck wheel nut remover Nut multiplier Ratio 1:56

Bead blaster (seater)



166-010

Bead blaster (bead seater)

Helps seating the bead in seconds when inflating tubeless tyres 20 L Tank



| Rubber hose | |
|--------------------------------------|-------------------|
| Code | Internal diameter |
| 168-010 | 6mm |
| 168-020 | 8mm |
| 168-030 | 10mm |
| 168-040 | 13mm |
| Sold per meter. Maximum length 100m. | |



| Polyurethane hose | | |
|--------------------------------------|-------------------|--|
| Code | Internal diameter | |
| 170-010 | 6mm | |
| 170-020 8mm | | |
| 170-030 10mm | | |
| 170-040 | 13mm | |
| Sold per meter. Maximum length 100m. | | |

Blow guns (air dusters)



Blow gun (air duster)
Plastic with long spout



172-020 Blow gun (air duster) Metal



234-010 Tyre buffer
2500RPM. Ideal to prepare tyres and tubes for puncture repairs

Wheel aligner



174-010

Computerized 3D wheel alignment system
Complete with large colour monitor, keyboard, printer, mouse, CD Rom, cabinet, 2 optical 3D camera system, front turntables, brake pedal depressor and steering wheel holder. No need to lift vehicle for run-out compensation and periodic calibration. Fast, accurate and reliable.

Wheel alignment tools



Camber, caster, KPI gauge

Magnetic type
For accurate readings it's recommended to use the gauge together with turntables



Camber gauge
Accurate and portable with magnetic head to fit to hubs, rotors and spindles. To be used to set camber back to original setting.

Wheel alignment accessories



176-030 Turntable set Sold in pairs.

Complete with radius gauge and rubber spacers. Full floating type 400mm x 400mm x 50mm high.



176-060

Side slip alignment gauge
By driving over the gauge toe-in / out can be determined within seconds



176-010

Steering wheel holder
Necessary to align and lock steering wheel when adjusting individual toe.



Pit rack



178-010

Pit rack with scuff plates
Suitable to be installed in a pit.
Manufactured to specifications.

Scuff plates included but turntables excluded.

Brake pedal depressor Necessary to press the brake when

doing the castor and KPI swing.

Extended slip plates



178-020

Extended slip plates

(Ramp top conversion)
Includes scuff plates.

Suitable to install above lift platform or where drive on ramps on pit exists. Manufactured to specifications. Scuff plates included but turntables excluded.

Wheel alignment shims



| Shims (Car & truck) | | | |
|---------------------|---------|-----------|------------|
| Code | Vehicle | Thickness | Weight box |
| 180-010 | Car | 0.5mm | 700g |
| 180-020 | Car | 1mm | 700g |
| 180-030 | Car | 2mm | 700g |
| 180-040 | Car | 3mm | 700g |
| 180-050 | Car | 4mm | 700g |
| 180-060 | Car | 5mm | 700g |
| 180-070 | Truck | 1mm | 700g |
| 180-080 | Truck | 2mm | 700g |
| 180-090 | Truck | 3mm | 700g |



| Ball joint puller | | | |
|-------------------------|--------------------------|------|--|
| Code Application Jaw ga | | | |
| 184-010 | 184-010 Car & 4X4 | | |
| 184-020 | Truck | 32mm | |

Tie rod tools



| Inner tie rod tool | | |
|--------------------|---------|--|
| Code | Size | |
| 182-010 | 33-42mm | |
| 182-020 | 42-50mm | |

Ball joint pullers



Ball joint remover / installer
Spindle 185mm stroke
2 x Compression heads 40 & 54mm 3 x Pressure pads 22, 33 & 57mm
Suitable for most vehicles including Mercedes Benz



182-030
Tie rod end remover & installer
Removal and replacement of
inner steering ball joints. Range
30 to 35mm, 35 to 40mm and
40 to 45mm



184-040 Pitman arm puller Width 33mm Stroke 64mm



184-050 Tie rod splitter Jaw opening 17mm Length 300mm



Tie rod / ball joint splitter set 5 Piece. Can be used with hammer or pneumatic hammer

Hub pullers



100-010
Hub puller
Removes wheel hubs mounted on tapered axles. Three adjustable legs adjustable up to 190mm diameter.



100-020
Slide hammer hub puller set
Combination puller with 2 Kg steel slide
hammer. Also converts into a 2 or 3 jaw
internal or external puller.



186-010
Hub puller VW / Audi (Polo and A2)
Hub puller for bearings on VW Polo and Audi A2 with or without ABS



186-020 Hub puller VW T5 Hub puller for bearings on VW T5 with or without ABS



188-010 Compressor 1.5HP 1,1KW 220V Single phase 24L tank



Compressor V-Twin 3HP 2.2KW 220V Single phase 150L tank Belt driven



190-010 Compressor 2 Cyl 3HP 2.2KW 220V Single phase 150L tank Belt driven



190-040 Compressor 2 Cyl 10HP 7.5KW 380V Three phase 270L tank Belt driven

Compressors (piston)



188-0<u>20</u> Compressor 2HP 1,5KW 220V Single phase 50L tank Direct coupled



Compressor 3 Cyl 3HP 2.2KW 220V Single phase 150L tank Belt driven



190-020 Compressor 2 Cyl 5.5HP 4KW 380V Three phase 200L tank Belt driven



188-030 Compressor V-Twin 3HP 2.2KW 220V Single phase 100L tank
Direct coupled



188-060 Compressor petrol 4 Stroke petrol 100L tank Belt driven



190-030 Compressor 2 Cyl 7.5HP 5.5KW 380V Three phase 270L tank Belt driven

Compressors (screw)



192-010 Compressor screw 10HP 7.5KW 380V Three phase 270L tank



192-020 Compressor screw 20HP 15KW 380V Three phase 500L tank



194-010
Air hose reel (Blue)
Hose length 20m
3/8" BSP fitting
PVC hose. Pressure 20Bar
Includes swivel bracket



194-020 Air hose reel (Red) Hose length 20m 3/8" BSP fitting PVC hose. Pressure 20Bar Includes swivel bracket



194-030
Air hose reel
Hose length 15m x 8mm ID
1/4" BSP fitting
Polyurethane hose
Metal reel

Filters / Regulators / Lubricators



194-040
Air hose reel
Hose length 15m
Polyurethane hose
Includes swivel bracket



194-050
Air hose reel
Hose length 9m x 8mm ID
1/4" BSP fitting
Polyurethane hose
Swivel bracket included



| Filter, regulator, lubricator & gauge | | |
|---------------------------------------|--------|--|
| Code | Thread | |
| 196-010 | 1/4" | |
| 196-020 | 1/2" | |
| 196-030 | 1" | |



| Filter | | |
|---------|--------|--|
| Code | Thread | |
| 198-010 | 1/4" | |
| 198-020 | 1/2" | |
| 100.030 | 1" | |

Lubricators



| Filter, regulator & gauge | | |
|---------------------------|--------|--|
| Code | Thread | |
| 200-010 | 1/4" | |
| 200-020 | 1/2" | |
| 200-030 | 1" | |



| Regulator & gauge | |
|-------------------|--------|
| Code | Thread |
| 202-010 | 1/4" |
| 202-020 | 1/2" |
| 202-030 | 1" |

Hose clamps

Regulators



| Lubricator | |
|------------|--------|
| Code | Thread |
| 204-010 | 1/4" |
| 204-020 | 1/2" |
| 204-030 | 1" |



| Hose clan | nps | | |
|-----------|---------|---------|----------|
| Code | Size | Code | Size |
| 206-010 | 4-12mm | 540-090 | 6-17mm |
| 206-020 | 10-22mm | 540-100 | 15-27mm |
| 206-030 | 14-32mm | 540-110 | 17-38mm |
| 206-040 | 19-44mm | 540-120 | 25-51mm |
| 206-050 | 32-57mm | 540-130 | 38-63mm |
| 206-060 | 44-70mm | 540-140 | 51-76mm |
| 206-070 | 57-82mm | 540-150 | 63-89mm |
| 206-080 | 70-95mm | 540-160 | 75-102mm |



| 2 Ear clamps | | |
|--------------|---------|--|
| Code | Size | |
| 208-010 | 9-11mm | |
| 208-020 | 11-13mm | |
| 208-030 | 13-15mm | |
| 208-040 | 15-18mm | |

Quick couplers







| Quick coupler Female thread | | |
|--------------------------------|------|--|
| Code Thread | | |
| 210-010 1/4" | | |
| 210-020 | 3/8" | |
| 210-030 1/2" | | |

| Quick coupler Male thread | | | |
|------------------------------|--------|--|--|
| Code | Thread | | |
| 212-010 | 1/4" | | |
| 212-020 | 3/8" | | |
| 212-030 | 1/2" | | |

Inserts

| Quick coupler | | | | | |
|---------------------|------|--|--|--|--|
| Hose barb | | | | | |
| Code | Barb | | | | |
| 214-010 6mm | | | | | |
| 214-020 | 8mm | | | | |
| 214-030 10mm | | | | | |
| 214-040 | 12mm | | | | |







| Insert Male thread | | | |
|-----------------------|--------|--|--|
| Code | Thread | | |
| 216-010 | 1/8" | | |
| 216-020 | 1/4" | | |
| 216-030 | 3/8" | | |
| 216-040 | 1/2" | | |

| Insert Female thread | | | | |
|-------------------------|--------|--|--|--|
| Code | Thread | | | |
| 218-010 | 1/8" | | | |
| 218-020 | 1/4" | | | |
| 218-030 | 3/8" | | | |
| 218-040 | 1/2" | | | |

| Insert | |
|-----------|------|
| Hose barl | D |
| Code | Barb |
| 220-010 | 6mm |
| 220-020 | 8mm |
| 220-030 | 10mm |
| 220-040 | 13mm |





| Hose | connectors |
|------|------------|
| | |





| Hose connector Male thread | | | | | | |
|-------------------------------|--------|------|---------|--------|------|--|
| Code | Thread | Barb | Code | Thread | Barb | |
| 222-010 | 1/8" | 6mm | 222-090 | 3/8" | 6mm | |
| 222-020 | 1/8" | 8mm | 222-100 | 3/8" | 8mm | |
| 222-030 | 1/8" | 10mm | 222-110 | 3/8" | 10mm | |
| 222-040 | 1/8" | 13mm | 222-120 | 3/8" | 13mm | |
| 222-050 | 1/4" | 6mm | 222-130 | 1/2" | 6mm | |
| 222-060 | 1/4" | 8mm | 222-140 | 1/2" | 8mm | |
| 222-070 | 1/4" | 10mm | 222-150 | 1/2" | 10mm | |
| 222-080 | 1/4" | 13mm | 222-160 | 1/2" | 12mm | |

| Hose connector Female thread | | | | | |
|---------------------------------|--------|------|---------|--------|------|
| Code | Thread | Barb | Code | Thread | Barb |
| 224-010 | 1/4" | 6mm | 224-070 | 3/8" | 10mm |
| 224-020 | 1/4" | 8mm | 224-080 | 3/8" | 13mm |
| 224-030 | 1/4" | 10mm | 224-090 | 1/2" | 6mm |
| 224-040 | 1/4" | 13mm | 224-100 | 1/2" | 8mm |
| 224-050 | 3/8" | 6mm | 224-110 | 1/2" | 10mm |
| 224-060 | 3/8" | 8mm | 224-120 | 1/2" | 13mm |

226-010 Hose connector Straight (2 Way) 8mm







226-040 Hose connector +Type (4 Way) 8mm



228-030 Impact wrench kit with sockets 1/2" drive Capacity 310Nm. Includes 10 impact sockets 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm, 125mm extension and an in line lubricator.



Impact wrench 3/4" drive Capacity 949Nm. 3/4" drive. Heavy duty.



Ratchet wrench 1/2" drive Capacity 69Nm. 1/2" drive.



Die grinder 6mm
6mm Collet. 4000 RPM. Small in size and light weight.

Impact wrenches



Impact wrench 1/2" drive Capacity 310Nm. 1/2" drive.



228-020 Impact wrench 1/2" drive Capacity 567Nm. 1/2" drive. Twin hammer super strong.

Ratchet wrenches (nut runners)



Impact wrench 1" drive Capacity 2440Nm. 1" drive. Super duty. 6" Anvil.



Ratchet wrench 3/8" drive Capacity 69Nm. 3/8" drive.



Die grinder kit 6mm Kit includes a 3mm collet. 25000 RPM. Small in size and light weight. 10 Grinding stones included



232-010 Die grinder 6mm
6mm Collet. 25000 RPM. Small in size and light

Tyre buffer



Tyre buffer
2500RPM. Ideal to prepare tyres and tubes for puncture repairs



Tyre buffer wheel
Wheel is included with tyre buffer but available loose if required



236-010

Reversible drill 10mm Chuck size 10mm. Speed 1800RPM. Reversible.



Reversible drill 13mm
Chuck size 13mm. Speed 550RPM. Reversible



238-010

Angle grinder 115 and 125mm
10 000RPM. Suitable for 115mm and 125mm cutting and grinding discs.





Steel cutter 76mm

Ideal for body panels. 20 000RPM. Small in size



Reciprocating saw Ideal for body panels and exhaust tubing. Capacity 1.6mm (steel), 2mm aluminium



Angle grinder 180mm
8 400RPM. Suitable for 180mm cutting and

grinding discs.

| Saw blaues | s (Necipioc | auny saw |
|------------|-------------|----------|
| Code | TPI | Packet |
| 242-020 | 32 | 5 |
| 242-030 | 32 | 5 |
| 242-040 | 32 | 5 |



Orbital sander
Pad size 95 x 175mm. Very comfortable to use with palm grip for one hand operation. Uses 1/3



244-020

Random orbital sander
4.8mm Orbits. 150mm Pad with 6 holes. Very comfortable to use with palm grip for one hand operation. Port included for dust extraction.



Random orbital sander
2.4mm Orbits. 150mm pad with 6 holes. Very comfortable to use with palm grip for one hand operation.



Random orbital sander with exhaust tube 2.4mm Orbits. 150mm pad with 6 holes. Very comfortable to use with palm grip for one hand operation. Hose included for dust extraction.



Sanding pad for random orbital sander

6 Hole with hook & loop. 150mm x 5/16 UNF

Sanders



Random orbital sander 50mm
50mm pad. Light weight, small and comfortable to use for small jobs.



Sanding pad for random orbital sander Hook & loop. 50mm x 5/16 UNF



Random orbital sander 150mm
Pad size 150mm. Suitable for automotive sanding and woodworking work.

Polisher



Sanding pad for random orbital sander Hook & loop. 150mm x 5/16 UNF



Angle polisher 180mm
Pad size 180mm. Suitable for automotive work.



Backing pad for polisher

Nailer



Sheep's wool buff for polisher 180mm



Nail gun (18 gauge (1.25mm) nails)

Maximum thickness 18 gauge. Length of nails 10 to 32mm. Maximum capacity 100 nails.



Nail gun (16 gauge (1.65mm) nails)
Maximum thickness 16 gauge. Length of nails
15 to 50mm. Maximum capacity 100 nails.

Stapler



Qty Code 5000 248-070 5000 248-080 5000 248-090 5000 248-100 248-110 Code Gauge Length Qty 248-070 16 25mm 2500 248-080 16 32mm 2500 248-090 16 38mm 2500 248-100 16 45mm 2500 248-110 16 50mm 2500 Code Gauge Length 248-030 18 15mm 248-040 18 20mm 248-050 18 25mm 248-060 18 30mm



Stapler (21 gauge (0.6mm) staples)
Maximum thickness 21 gauge (0.6mm). Length of staples 6 to 16mm. Maximum capacity 125 nails. Crown width 12.7mm



| taples 21 Gauge | | | | | | |
|-----------------|--------|-------|---------|--------|------|--|
| Code | Length | Qty | Code | Length | Qty | |
| 50-020 | 4mm | 10000 | 250-050 | 10mm | 5000 | |
| 50-030 | 6mm | 5000 | 250-060 | 12mm | 5000 | |
| 50-040 | 8mm | 5000 | 250-070 | 14mm | 5000 | |



| Riveter (Pneumatic) Container on rear holds mandrels after riveting | | | | |
|---|---------------|--|--|--|
| Code | Capacity | | | |
| 252-010 2.4 to 4.8mm | | | | |
| 252-020 | 2 4 to 6 35mm | | | |

Riveter



| Aluminium rivets 100 per packet | | | | | | |
|---------------------------------|-----------|--------|---------|-----------|--------|--|
| Code | Thickness | Length | Code | Thickness | Length | |
| 252-030 | 3.2mm | 6mm | 252-120 | 3.2mm | 12mm | |
| 252-040 | 3.2mm | 8mm | 252-130 | 3.2mm | 15mm | |
| 252-050 | 3.2mm | 10mm | 252-140 | 3.2mm | 18mm | |
| 252-060 | 4.0mm | 6mm | 252-150 | 4.0mm | 12mm | |
| 252-070 | 4.0mm | 8mm | 252-160 | 4.0mm | 15mm | |
| 252-080 | 4.0mm | 10mm | 252-170 | 4.0mm | 18mm | |
| 252-090 | 4.8mm | 8mm | 252-180 | 4.8mm | 15mm | |
| 252-100 | 4.8mm | 10mm | 252-190 | 4.8mm | 18mm | |
| 252-110 | 4.8mm | 12mm | 252-200 | 4.8mm | 21mm | |



254-010
Needle scaler
Ideal for removing paint, cement, rust and welding on uneven surfaces. 2800BPM. 12 Needles.

Grinding discs



| Grinding disc (steel) for angle grinder | | | | |
|---|----------|-------|--|--|
| Code | Diameter | Width | | |
| 256-010 | 100mm | 4.5mm | | |
| 256-020 | 115mm | 6mm | | |
| 256-030 | 125mm | 6mm | | |
| 256-040 | 230mm | 6mm | | |

Cutting discs



| Cutting disc (steel) for angle grinder or cut off saw | | | | | |
|---|----------|-------|---------|----------|-------|
| Code | Diameter | Width | Code | Diameter | Width |
| 258-010 | 76mm | 1.1mm | 258-100 | 125mm | 1.6mm |
| 258-020 | 100mm | 1mm | 258-110 | 125mm | 2.5mm |
| 258-030 | 100mm | 3mm | 258-120 | 180mm | 2.5mm |
| 258-040 | 115mm | 0.8mm | 258-130 | 230mm | 1.6mm |
| 258-050 | 115mm | 1mm | 258-140 | 230mm | 2mm |
| 258-060 | 115mm | 1.6mm | 258-150 | 230mm | 2.5mm |
| 258-070 | 115mm | 2.5mm | 258-160 | 230mm | 3mm |
| 258-080 | 115mm | 3mm | 258-170 | 350mm | 3mm |
| 258-090 | 125mm | 1.2mm | 258-180 | 400mm | 3mm |



| Cutting disc (masonry) for angle grinder or tile / brick cutter | | | | | |
|---|----------|-------|---------|----------|-------|
| Code | Diameter | Width | Code | Diameter | Width |
| 260-010 | 115mm | 1mm | 260-060 | 125mm | 2.5mm |
| 260-020 | 115mm | 1.6mm | 260-070 | 230mm | 2mm |
| 260-030 | 115mm | 2mm | 260-080 | 230mm | 2.5mm |
| 260-040 | 115mm | 2.5mm | 260-090 | 230mm | 3mm |
| 260-050 | 115mm | 3mm | 260-100 | 350mm | 3mm |

Grinding wheels



| Grinding | wheel fo | or bench | grinder |
|----------|----------|----------|---------|
| Code | Diameter | Width | Grit |
| 262-010 | 150mm | 20mm | 36 |
| 262-020 | 150mm | 20mm | 46 |
| 262-030 | 150mm | 20mm | 60 |
| 262-040 | 200mm | 20mm | 36 |
| 262-050 | 200mm | 20mm | 46 |
| 262-060 | 200mm | 20mm | 60 |
| 262-070 | 200mm | 25mm | 36 |
| 262-080 | 200mm | 25mm | 46 |
| 262-090 | 200mm | 25mm | 60 |

Wire wheels



| Wire whe | Wire wheel for bench grinder | | | | |
|----------|------------------------------|-------|---------|----------|-------|
| Code | Diameter | Width | Code | Diameter | Width |
| 264-010 | 100mm | 12mm | 264-070 | 150mm | 25mm |
| 264-020 | 100mm | 20mm | 264-080 | 200mm | 20mm |
| 264-030 | 100mm | 25mm | 264-090 | 200mm | 25mm |
| 264-040 | 127mm | 12mm | 264-100 | 250mm | 25mm |
| 264-050 | 127mm | 19mm | 264-110 | 250mm | 40mm |
| 264-060 | 150mm | 19mm | 264-120 | 305mm | 50mm |

Wire brushes



| Wire brush for drill or die grinder | | | | |
|-------------------------------------|----------|---------|----------|--|
| Code | Diameter | Code | Diameter | |
| 266-010 | 6mm | 266-030 | 20mm | |
| 266-020 | 15mm | 266-040 | 25mm | |

Wire cup brushes



| Wire cup brush for angle grinder | | | | |
|----------------------------------|----------|---------|----------|--|
| | Diameter | Code | Diameter | |
| 268-010 | 60mm | 268-050 | 120mm | |
| 268-020 | 76mm | 268-060 | 140mm | |
| 268-030 | 85mm | 268-070 | 150mm | |
| 268-040 | 100mm | | | |

| Wire cup brush with 6mm shaft for drill or die grinder | | | | |
|--|----------|---------|----------|--|
| Code | Diameter | Code | Diameter | |
| 270-010 | 50mm | 270-030 | 75mm | |
| 270-020 | 65mm | 270-040 | 85mm | |

Wire brush sets







272-020 Wire brush decarbon set 7 Piece

Water paper



| Water pa | per 230m | ım x 280n | nm | | | | | |
|----------|----------|-----------|---------|------|----------|---------|------|----------|
| Code | Grit | Quantity | Code | Grit | Quantity | Code | Grit | Quantity |
| 274-010 | 60 | 4 | 274-180 | 60 | 10 | 274-350 | 60 | 50 |
| 274-020 | 80 | 4 | 274-190 | 80 | 10 | 274-360 | 80 | 50 |
| 274-030 | 100 | 4 | 274-200 | 100 | 10 | 274-370 | 100 | 50 |
| 274-040 | 120 | 4 | 274-210 | 120 | 10 | 274-380 | 120 | 50 |
| 274-050 | 150 | 4 | 274-220 | 150 | 10 | 274-390 | 150 | 50 |
| 274-060 | 180 | 4 | 274-230 | 180 | 10 | 274-400 | 180 | 50 |
| 274-070 | 220 | 4 | 274-240 | 220 | 10 | 274-410 | 220 | 50 |
| 274-080 | 320 | 4 | 274-250 | 320 | 10 | 274-420 | 320 | 50 |
| 274-090 | 360 | 4 | 274-260 | 360 | 10 | 274-430 | 360 | 50 |
| 274-100 | 400 | 4 | 274-270 | 400 | 10 | 274-440 | 400 | 50 |
| 274-110 | 600 | 4 | 274-280 | 600 | 10 | 274-450 | 600 | 50 |
| 274-120 | 800 | 4 | 274-290 | 800 | 10 | 274-460 | 800 | 50 |
| 274-130 | 1000 | 4 | 274-300 | 1000 | 10 | 274-470 | 1000 | 50 |
| 274-140 | 1200 | 4 | 274-310 | 1200 | 10 | 274-480 | 1200 | 50 |
| 274-150 | 1500 | 4 | 274-320 | 1500 | 10 | 274-490 | 1500 | 50 |
| 274-160 | 2000 | 4 | 274-330 | 2000 | 10 | 274-500 | 2000 | 50 |
| 274-170 | 2500 | 4 | 274-340 | 2500 | 10 | 274-510 | 2500 | 50 |

Emery cloth



| mm 1 mm 1 mm 1 mm 1 | ngth 0m 0m 0m 0m | Grit 40 60 80 120 | Code 276-150 276-160 276-170 | Width 25mm 25mm 25mm | Length 50m 50m | Grit 40 60 |
|------------------------------|---------------------------------------|--|---|--|--|--|
| mm 1 mm 1 mm 1 mm 1 | 0m 0m 0m | 40 60 80 | 276-150 276-160 | 25mm 25mm | 50m 50m | 40 60 |
| mm 1 mm 1 mm 1 | 0m 0m | 60 80 | 276-160 | 25mm | 50m | 60 |
| mm 1 mm 1 | 0m | 80 | | | | |
| mm 1 | | | 276-170 | 25mm | E0 | |
| | 0m | 120 | | LOIIIIII | 50m | 80 |
| mm 1 | | 120 | 276-180 | 25mm | 50m | 120 |
| | 0m | 180 | 276-190 | 25mm | 50m | 180 |
| mm 1 | 0m | 240 | 276-200 | 25mm | 50m | 240 |
| mm 1 | 0m | 400 | 276-210 | 25mm | 50m | 400 |
| mm 1 | 0m | 40 | 276-220 | 50mm | 50m | 40 |
| mm 1 | 0m | 60 | 276-230 | 50mm | 50m | 60 |
| mm 1 | 0m | 80 | 276-240 | 50mm | 50m | 80 |
| mm 1 | 0m | 120 | 276-250 | 50mm | 50m | 120 |
| mm 1 | 0m | 180 | 276-260 | 50mm | 50m | 180 |
| mm 1 | 0m | 240 | 276-270 | 50mm | 50m | 240 |
| mm 1 | 0m | 400 | 276-280 | 50mm | 50m | 400 |
| | mm 1 mm | mm 10m mm 10m mm 10m mm 10m mm 10m mm 10m mm 10m mm 10m | mm 10m 400 mm 10m 40 mm 10m 60 mm 10m 80 mm 10m 120 mm 10m 180 mm 10m 240 | mm 10m 400 276-210 mm 10m 40 276-220 mm 10m 60 276-230 mm 10m 80 276-240 mm 10m 120 276-250 mm 10m 180 276-250 mm 10m 180 276-260 mm 10m 240 276-270 | mm 10m 400 276-210 25mm mm 10m 40 276-220 50mm mm 10m 60 276-230 50mm mm 10m 80 276-240 50mm mm 10m 120 276-250 50mm mm 10m 180 276-260 50mm mm 10m 240 276-270 50mm | mm 10m 400 276-210 25mm 50m mm 10m 40 276-220 50mm 50m mm 10m 60 276-230 50mm 50m mm 10m 80 276-240 50mm 50m mm 10m 120 276-250 50mm 50m mm 10m 180 276-260 50mm 50m mm 10m 240 276-270 50mm 50m |

Cabinet paper



| Cabinet paper 230mm x 280mm | | | | | | | | | |
|-----------------------------|------|----------|---------|------|----------|---------|------|----------|--|
| Code | Grit | Quantity | Code | Grit | Quantity | Code | Grit | Quantity | |
| 278-010 | 60 | 4 | 278-080 | 60 | 10 | 278-150 | 60 | 50 | |
| 278-020 | 80 | 4 | 278-090 | 80 | 10 | 278-160 | 80 | 50 | |
| 278-030 | 100 | 4 | 278-100 | 100 | 10 | 278-170 | 100 | 50 | |
| 278-040 | 120 | 4 | 278-110 | 120 | 10 | 278-180 | 120 | 50 | |
| 278-050 | 150 | 4 | 278-120 | 150 | 10 | 278-190 | 150 | 50 | |
| 278-060 | 180 | 4 | 278-130 | 180 | 10 | 278-200 | 180 | 50 | |
| 070 070 | 222 | 4 | 070 440 | 000 | 40 | 070 040 | 000 | | |

Production rolls



| Production roll | | | | | | | | |
|-----------------|-------|--------|------|--|--|--|--|--|
| Code | Width | Length | Grit | | | | | |
| 280-010 | 70mm | 50m | 40 | | | | | |
| 280-020 | 70mm | 50m | 60 | | | | | |
| 280-030 | 70mm | 50m | 80 | | | | | |
| 280-040 | 70mm | 50m | 120 | | | | | |

Flap discs



| Flap dis | С | | | | |
|----------|----------|------|---------|----------|------|
| Code | Diameter | Grit | Code | Diameter | Grit |
| 282-010 | 100mm | 40 | 282-090 | 180mm | 40 |
| 282-020 | 100mm | 60 | 282-100 | 180mm | 60 |
| 282-030 | 100mm | 80 | 282-110 | 180mm | 80 |
| 282-040 | 100mm | 120 | 282-120 | 180mm | 120 |
| 282-050 | 115mm | 40 | 282-130 | 230mm | 40 |
| 282-060 | 115mm | 60 | 282-140 | 230mm | 60 |
| 282-070 | 115mm | 80 | 282-150 | 230mm | 80 |
| 282-080 | 115mm | 120 | 282-160 | 230mm | 120 |

Sanding o



| Sanding disc (hook and loop) without holes | | | | | | | | | |
|--|----------|------|---------|----------|------|--|--|--|--|
| Code | Diameter | Grit | Code | Diameter | Grit | | | | |
| 284-010 | 50mm | 40 | 284-130 | 125mm | 40 | | | | |
| 284-020 | 50mm | 60 | 284-140 | 125mm | 60 | | | | |
| 284-030 | 50mm | 80 | 284-150 | 125mm | 80 | | | | |
| 284-040 | 50mm | 120 | 284-160 | 125mm | 120 | | | | |
| 284-050 | 50mm | 180 | 284-170 | 125mm | 180 | | | | |
| 284-060 | 50mm | 240 | 284-180 | 125mm | 240 | | | | |
| 284-070 | 115mm | 40 | 284-190 | 150mm | 40 | | | | |
| 284-080 | 115mm | 60 | 284-200 | 150mm | 60 | | | | |
| 284-090 | 115mm | 80 | 284-210 | 150mm | 80 | | | | |
| 284-100 | 115mm | 120 | 284-220 | 150mm | 120 | | | | |
| 284-110 | 115mm | 180 | 284-230 | 150mm | 180 | | | | |
| 28/-120 | 115mm | 240 | 28/-2/0 | 150mm | 240 | | | | |

Sanding discs



| Sanding disc (hook and loop) with holes | | | | | | | | |
|---|----------|------|---------|----------|------|--|--|--|
| Code | Diameter | Grit | Code | Diameter | Grit | | | |
| 286-010 | 50mm | 40 | 286-130 | 125mm | 40 | | | |
| 286-020 | 50mm | 60 | 286-140 | 125mm | 60 | | | |
| 286-030 | 50mm | 80 | 286-150 | 125mm | 80 | | | |
| 286-040 | 50mm | 120 | 286-160 | 125mm | 120 | | | |
| 286-050 | 50mm | 180 | 286-170 | 125mm | 180 | | | |
| 286-060 | 50mm | 240 | 286-180 | 125mm | 240 | | | |
| 286-070 | 115mm | 40 | 286-190 | 150mm | 40 | | | |
| 286-080 | 115mm | 60 | 286-200 | 150mm | 60 | | | |
| 286-090 | 115mm | 80 | 286-210 | 150mm | 80 | | | |
| 286-100 | 115mm | 120 | 286-220 | 150mm | 120 | | | |
| 286-110 | 115mm | 180 | 286-230 | 150mm | 180 | | | |
| 286-120 | 115mm | 240 | 286-240 | 150mm | 240 | | | |

Flap wheels

| Flap who | eel | | | | | | | | |
|----------|----------|-------|------|-------|---------|----------|-------|------|-------|
| Code | Diameter | Width | Grit | Shaft | Code | Diameter | Width | Grit | Shaft |
| 288-010 | 30mm | 15mm | 40 | 6mm | 288-160 | 60mm | 40mm | 40 | 6mm |
| 288-020 | | 15mm | 60 | 6mm | 288-170 | 60mm | 40mm | 60 | 6mm |
| 288-030 | 30mm | 15mm | 80 | 6mm | 288-180 | 60mm | 40mm | 80 | 6mm |
| 288-040 | 30mm | 15mm | 120 | 6mm | 288-190 | 60mm | 40mm | 120 | 6mm |
| 288-050 | 30mm | 15mm | 150 | 6mm | 288-200 | 60mm | 40mm | 150 | 6mm |
| 288-060 | 40mm | 20mm | 40 | 6mm | 288-210 | 80mm | 50mm | 40 | 6mm |
| 288-070 | 40mm | 20mm | 60 | 6mm | 288-220 | 80mm | 50mm | 60 | 6mm |
| 288-080 | 40mm | 20mm | 80 | 6mm | 288-230 | 80mm | 50mm | 80 | 6mm |
| 288-090 | 40mm | 20mm | 120 | 6mm | 288-240 | 80mm | 50mm | 120 | 6mm |
| 288-100 | 40mm | 20mm | 150 | 6mm | 288-250 | 80mm | 50mm | 150 | 6mm |
| 288-110 | 50mm | 40mm | 40 | 6mm | 288-260 | 30mm | 10mm | 60 | 3mm |
| 288-120 | 50mm | 40mm | 60 | 6mm | 288-270 | 30mm | 10mm | 80 | 3mm |
| 288-130 | 50mm | 40mm | 80 | 6mm | 288-280 | 30mm | 10mm | 120 | 3mm |
| 288-140 | 50mm | 40mm | 120 | 6mm | 288-290 | 30mm | 10mm | 180 | 3mm |
| 288-150 | 50mm | 40mm | 150 | 6mm | 288-300 | 30mm | 10mm | 240 | 3mm |



Impact drills



290-010

Impact drill 650W 13mm
Variable electronic speed with forward and reverse direction. 650W Power. 13mm Geared chuck



290-020

Impact drill 1300W 13mm
Variable electronic speed with forward and reverse direction. 2 Speed mechanical gearbox. 1300W
Power. 13mm Geared chuck. Mechanical safety clutch included.

Mag base drill



Mag base drill 1000W 32mm (Steel)

Broach cutter adaptor included. 1000W Power. 16mm Geared chuck and chuck adaptor available.

Hammer drills



290-030

Rotary hammer drill 800W 24mm (masonry)
Variable electronic speed with forward and reverse direction. 2.3J Chiseling capacity. 800W
Power. SDS chuck. Capacity 24mm masonry.

Die grinder



Die grinder 710W 6mm chuck
Variable electronic speed 10 000 to 30 000RPM. 710W Power. 6mm chuck.

Impact wrench

Rotary hammer drill 1100W 24mm (masonry)
Variable electronic speed with forward and reverse direction. 2.8J Chiseling capacity. 1100W
Power. SDS chuck but also a standard quick

change keyless 13mm included. Capacity 24mm



masonry.

Impact wrench 650W 600Nm 1/2" Drive 650W Power. 600Nm torque. 2100 RPM speed.

Angle grinders



Angle grinder 115mm 850W
Angle grinder 115mm capacity. 850W Power.



Angle grinder 115mm 1100W
Angle grinder 115mm capacity. 1100W Power.

Cut off saw



Angle grinder 230mm 2200W
Angle grinder 230mm capacity. 2200W Power.



Angle grinder 230mm 2600W

Angle grinder 230mm capacity. 2600W Power.



Cut off saw 355mm 2300W
Cut off saw 355mm blade. 2300W Power.

Heat gun



Heat gun 2000W 3 Speed
Three speed 150 / 300 / 500L/min. Temperature 80 to 600°C.

Glue gun



304-010

Glue gun
Non drip nozzle. Capacity 18g/min. 11W.

Screwdriver impact drill



Cordless drill / screwdriver / impact drill 18V Variable electronic speed with forward and reverse direction. 2 Speed mechanical gearbox. 13mm keyless chuck. 2 x 18V 4Ah Li-Iron batteries with

Screwdriver / drill



306-010

Cordless drill / screwdriver 12V
Variable electronic speed with forward and reverse direction. 2 Speed mechanical gearbox. 10mm keyless chuck. 2 x 12V 2Ah Li-Iron batteries with fast charger. Maximum torque 40Nm.



Cordless drill / screwdriver / impact drill 18V

Variable electronic speed with forward and reverse direction. 2 Speed mechanical gearbox. 13mm keyless chuck. 2 x 18V 5.2Ah Li-Iron batteries with fast charger. Maximum torque 120Nm.

Hammer drill

Cordless drill / screwdriver / impact drill 18V
Variable electronic speed with forward and reverse direction. 2 Speed mechanical gearbox. 13mm keyless chuck. 2 x 18V 2Ah Li-Iron batteries with fast charger. Maximum torque 50Nm.



Cordless rotary hammer drill 24mm (masonry)
Variable electronic speed with forward and reverse direction. 2.2J Chiseling capacity. SDS chuck but also a standard quick change keyless 13mm chuck included. Capacity 24mm masonry. No batteries or charger included.

fast charger. Maximum torque 60Nm.



310-010 Li-Iron 12 to 36V battery charger Fast charger, air cooled

Batteries



| Li-Iron battery | | | | | | | | | |
|-----------------|---------|----------|---------|--------|----------|--|--|--|--|
| Code | Voltage | Amp Hour | Code | Voltag | Amp Hour | | | | |
| 310-020 | 12V | 2.0Ah | 310-070 | 18V | 8.0Ah | | | | |
| 310-030 | 12V | 4.0Ah | 310-080 | 18V | 10.0Ah | | | | |
| 310-040 | 18V | 2.0Ah | 310-090 | 36V | 5.2Ah | | | | |
| 310-050 | 18V | 4.0Ah | 310-100 | 36V | 6.2Ah | | | | |
| 310-060 | 18\/ | 5 5Δh | | | | | | | |

Impact wrench



Torque 312-010 300Nm 312-020 400Nm

600Nm

312-030

Angle grinders



Cordless angle grinder 115/125mm 18V 115 / 125mm. No load speed 9000RPM.

Cordless angle grinder 230mm 36V 230mm. No load speed 6600RPM. Battery not included.



manual. Easy to use

On car disc brake lathe
Complete with heavy duty drive motor mounted on adjustable stand, cutting lathe with universal fittings, alignment tools, cutting bits and manual.
Easy to use.

Brake tester



318-010

Brake tester

Decelerometer that allows the execution of braking efficiency tests on the road for light and heavy vehicles with convenient Bluetooth connection





Wind back tool
Cube
6 Popular sizes



CS373 SHAKE LATHE

316-030
Off car / truck
Drum, disc brake and flywheel lathe
Complete with stand and all accessories
Disc diameter 102-610mm
Disc width up to 73mm
Drum diameter 152-711mm

Drum depth up to 229mm 220V 50Hz Single phase

316-030

Brake wind back tool
7 Piece. Suitable for most popular vehicles.



320-010
Disc brake separator
Maximum opening 65mm

Brake wind back tool
11 Piece. Suitable for most popular vehicles.



Brake wind back tool

18 Piece. Very comprehensive set suitable for most vehicles. Includes left and right threaded tools.



320-060 Brake wind back tool

21 Piece. Very comprehensive set suitable for most vehicles. Includes left and right threaded tools.



322-010

Brake bleeder / vacuum system tester
Suitable to bleed brakes with one person and to test

vacuum related systems accurately.

Brake bleeders



Brake / clutch bleeder (pressure method)
Suitable to bleed brakes and clutches with one
person. Can be used on ABS brakes.



322-030

Brake cylinder hones

Brake spring washer tool
To remove and install stubborn hold-down springs.
Suitable for spring washers 5/8" to 7/8" (12 – 22mm)

Brake fluid / system testers



Brake fluid tester

Detects moisture in DOT 3, 4 and 5 brake fluid. Easy to read 3 colour LED display



Brake service & inspection kit
Kit includes brake fluid tester, disc brake vernier, tyre tread gauge and disc pad thickness gauge



Brake cylinder hone

| rotessiona | i bali type | | |
|------------|-------------|-----------|----------|
| Code | Size | Range | Grit |
| 326-010 | 12mm | 10 - 14mm | 180 grit |
| 326-020 | 14mm | 12 - 16mm | 180 grit |
| 326-030 | 16mm | 14 - 18mm | 180 grit |
| 326-040 | 18mm | 16 - 20mm | 180 grit |
| 326-050 | 20mm | 18 - 22mm | 180 grit |
| 326-060 | 22mm | 20 - 25mm | 180 grit |
| 326-070 | 25mm | 22 - 29mm | 180 grit |
| 326-080 | 29mm | 25 - 35mm | 180 grit |
| 326-090 | 35mm | 29 - 41mm | 180 arit |

Other sizes and grits available on request



Brake cylinder hone
Two stone 13 to 64mm



328-020 Brake cylinder hone
Three stone 19 to 64mm



| Stone sets | |
|------------|-------------|
| Code | Set |
| 328-030 | Two stone |
| 328-040 | Three stone |

Brake tools



Brake spring plier
Tool easily removes and installs shoe return springs on most drum brakes



330-020

Brake adjuster

To adjust brake drum shoes



Brake spring washer tool
To remove and install stubborn hold-down springs.
Suitable for spring washers 5/8" to 7/8" (12 – 22mm) in diameter

Valve refacer



332-010

Valve refacer
230 V Single phase. Machine is complete with stone dresser.
Cut valves with stem diameter from 5 - 18 mm. Special design, no need for collets to clamp valve stems.

Valve seat cutter



Valve seat cutting tool
Precision machined tungsten carbide blades produce valve seats with accurate seat angles, superior surface and true flat seal. Seats concentric with valve guide.

Oscillating valve lapper
Unique mechanism converts rotary drill action to oscillating grinding motion.
22/28mm sucker head fits most valves.

Valve seat grinder



334-010
Valve seat grinder
Machine is complete with self centering pilots and grinding wheels 26 - 63 mm diameter. Stone dresser included to reface grinding wheels. 220V Single phase.

Valve lappers



334-040

Double-ended valve grinder set

Suitable for grinding most engine valves.

Suction cup sizes: 15, 20, 28, 34mm.

Valve spring tester



Valve spring compressor 0 - 700 lbs/in

0 - 320 Kg/in

Block tester

Testing kit to check cylinder heads and blocks for cracks and / or blown gaskets

Block testers



Block testing fluid
Additional fluid to be used with block tester. Recommended to keep fluid refrigerated to extend shelf life



Universal Valve Spring Installer & Remover Set Used for removing and installing valve spring Applications: Audi, Citroen, Fiat, Ford, Honda, Mazda, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Saab, Toyota, Vauxhall, VW, Volvo





340-020

Universal Valve Spring Installer & Remover Set

Used for removing and installing valve spring
Applications: Audi, Citroen, Fiat, Ford, Honda, Mazda,
Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Saab,
Toyota, Vauxhall, VW, Volvo
Includes valve stem seal pliers and pneumatic hose

and fittings to keep valves closed with compressed air



Valve spring compressor
For large engines complete with two sets of jaws.
Capacity 55 - 165 mm with offset jaws and 75 - 185 mm with straight jaws. Throat clearance 245 mm



Multi valve spring compressor
For multi-valve petrol & diesel engines, specially designed for difficult access & deep-seated multi-valve cylinder heads. Includes two valve spring adapters, which fit valve spring retainers up to 1"(25mm) and 1-3/16" (30mm).
Jaw opening of 1-3/8" to 5-5/8" (35mm to 142mm) Throat clearance of 5-7/8"(150mm).



Multi valve spring compressor
Suitable for use on multi-valve petrol and diesel engines with deep-seated valves. Suitable also for general use on OHC engines.

Universal jaw with 55-175mm capacity and 165mm throat depth.

Reversible jaw and adaptor. Twin cam action permits use from above or below valve.



OHV Valve Spring Compressor
Used on a wide range of OHV engines. Allows valve springs and valve stem oil seals to be replaced with the cylinder head mounted. Features a reversible jaw adaptor and automatic cam-action locking system to a pre-determined setting. NOT suitable for use on engines with deep seated valves.



340-070

Valve pressure spring compressor BMW N20/N26/N55 Installer / Remover For removal and installation of valve pressure springs



340-080

Valve pressure spring compressor BMW, Peugeot

N12/N16/N18 Installer / Remover

For removal and installation of valve pressure springs



Valve pliers

340-090

Valve Stem Seal Pliers
Used to reach into confined areas for removal of valve seals. Serrated tip for better grip of valve seals



344-040

Piston ring compressor set Installs pistons from 2.7/8" to 4.3/8" (73 to 111mm). 6 Bands. Ratchet allows for bands to compress in small increments.



Piston ring compressors
Self locking ratchet pawl allows positive locking action. Friction proof band edge

| makes a smooth & accurate operation. | | | | | | | |
|--------------------------------------|----------|----------|--|--|--|--|--|
| Code | Height | Capacity | | | | | |
| 344-010 | 3" 76mm | 53-125mm | | | | | |
| 344-020 | 4" 100mm | 60-175mm | | | | | |
| 344-030 | 6" 150mm | 60-175mm | | | | | |

Piston ring pliers



342-010

Piston ring groove cleaner Fits 2"- 5" (51 - 127 mm) pistons. Three six blade cutters cover all major piston ring grooves. SAE & Metric.



Piston ring installer

Makes ring installation fast and easy.

Protects against ring breakage. Suitable for rings from 64 to 159mm. Spring loaded for one hand operation.



342-030

Piston ring plier
Removes and installs rings easily & fast without the danger of breakage or distortion. No adjustment needed, expands all rings from 1.1/4" - 4.1/4" 32-108mm



Cylinder hone Professional ball type
Code Size

348-010

348-020

348-030

348-040

348-050

348-060

348-070

348-080

348-090

348-100

348-110

41mm

45mm

57mm

64mm


70mm

83mm

95mm

101mm Other sizes and grits available on request

Cylinder hone small engine 3 stone
Suitable from 1.1/4" to 3.1/2" (32-90 mm)
3 Medium grit stones are 2" (50 mm) long.
Square ended stones polish to the end in step or blind end cylinders. Flexible shaft.



Cylinder hone engine 3 stone
For cylinders from 2" to 7" (50 - 177 mm)
3 Medium grid stones 4" (100 mm) long for quick polishing or honing



Honing stones Three medium grit stones Complete with pins.

 Code
 Length
 Hone

 346-030
 50mm
 346-010

 346-040
 100mm
 346-020

Thread repair inserts





Thread insert set Includes drill, tap, insert ool and breakout punch

Size M4 x 0.7mm

M5 x 0.8mm M6 x 1.0mm M8 x 1.25mm M10 x 1.5mm

350-010 350-020 350-030 350-040 Spark plug repair inserts 350-050



Range

38 - 45mm

41 - 51mm

45 - 57mm

51 - 64mm 57 - 70mm

64 - 76mm

70 - 83mm

76 - 89mm 83 - 95mm

89 - 101mm

95 - 105mm

Grit

180 grit

180 grit

180 grit

180 grit 180 grit

180 grit

180 grit

180 grit

180 grit

180 grit

180 grit

Thread insert kit
M6, M8 and M10
Includes drills, taps, insert
tools and breakout punches



Thread insert kit 14 mm spark plug Repairs damaged threads on aluminum cylinder heads.
Includes tap & 4 solid steel inserts

of sizes 9.5, 11, 12.7 and 19mm



Spark plug hole thread chaser 14 and 18mm thread.

Taps

| Tap (metri | Tap (metric) | | | | | | | |
|------------|--------------|---------|------------|---------|-------------|--|--|--|
| Code | Thread | Code | Thread | Code | Thread | | | |
| 354-010 | 3 x 0.35mm | 354-020 | 3 x 0.5mm | 354-030 | 4 x 0.5mm | | | |
| 354-040 | 4 x 0.7mm | 354-050 | 5 x 0.5mm | 354-060 | 5 x 0.8mm | | | |
| 354-070 | 6 x 0.75mm | 354-080 | 6 x 1.0mm | 354-090 | 7 x 1.0mm | | | |
| 354-100 | 8 x 1.0mm | 354-110 | 8 x 1.25mm | 354-120 | 9 x 1.25mm | | | |
| 354-130 | 10 x 1.5mm | 354-140 | 11 x 1.5mm | 354-150 | 12 x 1.25mm | | | |
| 354-160 | 12 x 1.75mm | 354-170 | 14 x 1.0mm | 354-180 | 14 x 1.5mm | | | |
| 354-190 | 14 x 2.0mm | 354-200 | 16 x 1.5mm | 354-210 | 16 x 2.0mm | | | |
| 354-220 | 18 x 1.5mm | 354-230 | 18 x 2.0mm | 354-240 | 18 x 2.5mm | | | |
| 354-250 | 20 x 1.5mm | 354-260 | 20 x 2.5mm | 354-270 | 22 x 1.5mm | | | |
| 354-280 | 22 x 2.5mm | 354-290 | 24 x 2.0mm | 354-300 | 24 x 3.0mm | | | |
| 354-310 | 27 x 2.0mm | 354-320 | 27 x 3.0mm | 354-330 | 30 x 1.5mm | | | |
| 354-340 | 30 x 3.5mm | 354-350 | 36 x 4.0mm | 354-360 | 42 x 4.5mm | | | |





| Thread file Internal and external | | | | | |
|--------------------------------------|----------|----------------|--|--|--|
| Code | Type | Pitch | | | |
| 356-010 | Metric | 0.8 to 3mm | | | |
| 356-020 | Imperial | 11,12,13,14, | | | |
| | | 16,18,20,24TPI | | | |
| 356-030 | Imperial | 9,10,12,16,20, | | | |
| | | 27,28,32TPI | | | |

| Thread file External | | |
|-------------------------|----------|----------------|
| Code | Type | Pitch |
| 358-010 | Metric | 0.8 to 3mm |
| 358-020 | Imperial | 11,12,13,14, |
| | | 16,18,20,24TPI |
| 358-030 | Imperial | 9,10,12,16,20, |
| | | 27,28,32TPI |





| Die nut (m | Die nut (metric) | | | | | | |
|------------|------------------|---------|-------------|---------|-------------|--|--|
| Code | Thread | Code | Thread | Code | Thread | | |
| 360-010 | 3 x 0.35mm | 360-020 | 3 x 0.5mm | 360-030 | 4 x 0.7mm | | |
| 360-040 | 5 x 0.8mm | 360-050 | 6 x 0.75mm | 360-060 | 6 x 1.0mm | | |
| 360-070 | 7 x 1.0mm | 360-080 | 8 x 1.0mm | 360-090 | 8 x 1.25mm | | |
| 360-100 | 9 x 1.25mm | 360-110 | 10 x 1.25mm | 360-120 | 10 x 1.5mm | | |
| 360-130 | 11 x 1.5mm | 360-140 | 12 x 1.25mm | 360-150 | 12 x 1.75mm | | |
| 360-160 | 14 x 1.5mm | 360-170 | 14 x 2.0mm | 360-180 | 16 x 1.5mm | | |
| 360-190 | 16 x 2.0mm | 360-200 | 18 x 1.5mm | 360-210 | 18 x 2.5mm | | |
| 360-220 | 20 x 1.5mm | 360-230 | 20 x 2.5mm | 360-240 | 22 x 1.5mm | | |
| 360-250 | 22 x 2.5mm | 360-260 | 24 x 2.0mm | 360-270 | 24 x 3.0mm | | |
| 360-280 | 30 x 3.5mm | 360-290 | 36 x 4.0mm | | | | |



| Die (metric | c) | | | | |
|-------------|-------------|---------|-------------|---------|------------|
| Code | Thread | Code | Thread | Code | Thread |
| 362-010 | 3 x 0.5mm | 362-020 | 4 x 0.5mm | 362-030 | 4 x 0.7mm |
| 362-040 | 5 x 0.5mm | 362-050 | 5 x 0.8mm | 362-060 | 6 x 0.5mm |
| 362-070 | 6 x 0.75mm | 362-080 | 6 x 1.0mm | 362-090 | 7 x 1.0mm |
| 362-100 | 8 x 1.0mm | 362-110 | 8 x 1.25mm | 362-120 | 9 x 1.25mm |
| 362-130 | 10 x 1.25mm | 362-140 | 10 x 1.5mm | 362-150 | 11 x 1.5mm |
| 362-160 | 12 x 1.25mm | 362-170 | 12 x 1.75mm | 362-180 | 14 x 1.0mm |
| 362-190 | 14 x 2.0mm | 362-200 | 16 x 1.5mm | 362-210 | 16 x 2.0mm |
| 362-220 | 18 x 1.0mm | 362-230 | 18 x 1.5mm | 362-240 | 18 x 2.5mm |
| 362-250 | 20 x 1.5mm | 362-260 | 20 x 2.5mm | 362-270 | 22 x 1.5mm |
| 362-280 | 22 x 2.5mm | 362-290 | 24 x 2.0mm | 362-300 | 24 x 3.0mm |
| 362-310 | 27 x 2.0mm | 362-320 | 27 x 3.0mm | 362-330 | 30 x 2.0mm |
| 362-340 | 30 x 3.5mm | 362-350 | 36 x 4.0mm | | |

Tap handles

Die handles




| Die stock | | | |
|-----------|-----------|---------|-----------|
| Code | Type | Size | Тар |
| 364-010 | Die stock | 13/16" | M3 - M6 |
| 364-020 | Die stock | 1" | M4 - M10 |
| 364-030 | Die stock | 1.5/16" | M6 - M14 |
| 364-040 | Die stock | 1.1/2" | M8 - M20 |
| 364-050 | Die stock | 2" | M12 - M27 |





| Tap wrenc | h | | |
|-----------|------------|------------|-----------|
| Code | Type | Size | Tap |
| 366-010 | Tap wrench | 2.8 - 5mm | M3.5 - M6 |
| 366-020 | Tap wrench | 4 - 10mm | M5 - M16 |
| 366-030 | Tap wrench | 4 - 12mm | M5 - M20 |
| 366-040 | Tap wrench | 5.3 - 17mm | M7 - M30 |



| Steel dril | Steel drills | | | | | | | |
|------------|--------------|---------|-------|---------|--------|---------|--------|--|
| Fully grou | Fully ground | | | | | | | |
| Code | Size | Code | Size | Code | Size | Code | Size | |
| 368-010 | 1mm | 368-170 | 4.2mm | 368-330 | 7.4mm | 368-490 | 10.6mm | |
| 368-020 | 1.2mm | 368-180 | 4.4mm | 368-340 | 7.6mm | 368-500 | 10.8mm | |
| 368-030 | 1.4mm | 368-190 | 4.6mm | 368-350 | 7.8mm | 368-510 | 11.0mm | |
| 368-040 | 1.6mm | 368-200 | 4.8mm | 368-360 | 8.0mm | 368-520 | 11.2mm | |
| 368-050 | 1.8mm | 368-210 | 5mm | 368-370 | 8.2mm | 368-530 | 11.4mm | |
| 368-060 | 2.0mm | 368-220 | 5.2mm | 368-380 | 8.4mm | 368-540 | 11.6mm | |
| 368-070 | 2.2mm | 368-230 | 5.4mm | 368-390 | 8.6mm | 368-550 | 11.8mm | |
| 368-080 | 2.4mm | 368-240 | 5.6mm | 368-400 | 8.8mm | 368-560 | 12.0mm | |
| 368-090 | 2.6mm | 368-250 | 5.8mm | 368-410 | 9.0mm | 368-570 | 12.2mm | |
| 368-100 | 2.8mm | 368-260 | 6.0mm | 368-420 | 9.2mm | 368-580 | 12.4mm | |
| 368-110 | 3.0mm | 368-270 | 6.2mm | 368-430 | 9.4mm | 368-590 | 12.6mm | |
| 368-120 | 3.2mm | 368-280 | 6.4mm | 368-440 | 9.6mm | 368-600 | 12.8mm | |
| 368-130 | 3.4mm | 368-290 | 6.6mm | 368-450 | 9.8mm | 368-610 | 13.0mm | |
| 368-140 | 3.6mm | 368-300 | 6.8mm | 368-460 | 10.0mm | 368-620 | 13.2mm | |
| 368-150 | 3.8mm | 368-310 | 7.0mm | 368-470 | 10.2mm | 368-630 | 13.4mm | |
| 368-160 | 4.0mm | 368-320 | 7.2mm | 368-480 | 10.4mm | 368-640 | 13.5mm | |



| Steel drills (reduced shanks 13mm) Fully ground | | | | | | |
|---|---|---------|--------|---------|--------|--|
| Code | Size | Code | Size | Code | Size | |
| 370-010 | 14mm | 370-070 | 17mm | 370-130 | 20mm | |
| 370-020 | 14.5mm | 370-080 | 17.5mm | 370-140 | 20.5mm | |
| 370-030 | 15mm | 370-090 | 18mm | 370-150 | 21mm | |
| 370-040 | 15.5mm | 370-100 | 18.5mm | 370-160 | 21.5mm | |
| 370-050 | 50 16mm 370-110 19mm 370-170 22mm | | | | | |
| 370-060 | 16.5mm | 370-120 | 19.5mm | 370-180 | 24mm | |



Tap & Die set (metric) M2 to M18 M2 to M18 in various pitch sizes



Tap & Die set (metric) M3 to M12 32 Piece M3, M4, M5, M6, M8, M10 and M12

Step drills



374-010 Step drill 4 to 22 mm Steps of 2mm 4, 6, 8, 10, 12, 14, 16, 18, 20 and 22mm



Step drill
5 to 35 mm
Steps of 2 to 3mm 5, 8, 10, 12, 14, 17, 20, 22, 25, 27, 30, 32 and 35mm





Tap & Die set (metric) M6 to M2037 Piece
M6, M8, M10, M12, M16, M18 and M20



Tap & Die set (metric) M3 to M1244 Piece
M3, M4, M5, M6, M8, M10 and M12



372-030 Tap & Die set (imperial) 5/16 - 1/2" 20 Piece 5/16" to 1/2"



Tap & Die set (metric) M3 to M12 41 Piece M3, M4, M5, M6, M8, M10 and M12



Drill set 1 to 10mm 19 Piece 1 to 10mm in each 0.5mm size



376-020 Drill set 1 to 13mm 25 Piece 1 to 13mm in each 0.5mm size




376-030 Drill set 1 to 13mm (Cobalt) 25 Piece 1 to 13mm in each 0.5mm size

Rotary burrs



| Carbide rotary burr Cylindrical shape with top flat cutter | | | | | | | |
|--|----------|--------|--------------|-------|--|--|--|
| Code | Diameter | Length | Total length | Shaft | | | |
| 378-010 | 6mm | 16mm | 61mm | 6mm | | | |
| 378-020 | 8mm | 20mm | 65mm | 6mm | | | |
| 378-030 | 10mm | 20mm | 65mm | 6mm | | | |
| 378-040 | 12mm | 25mm | 70mm | 6mm | | | |
| 378-050 | 16mm | 25mm | 70mm | 6mm | | | |



| Carbide rotary burr Tree shape ball nose | | | | | | |
|---|----------|--------|--------------|-------|--|--|
| Code | Diameter | Length | Total length | Shaft | | |
| 384-010 | 6mm | 18mm | 63mm | 3mm | | |
| 384-020 | 8mm | 20mm | 65mm | 6mm | | |
| 384-030 | 12mm | 32mm | 77mm | 6mm | | |





| | Code | Diameter | Length | Total length | Shaft | | | |
|--|---------|----------|--------|--------------|-------|--|--|--|
| | 386-010 | 6mm | 18mm | 63mm | 6mm | | | |
| | 386-020 | 10mm | 20mm | 65mm | 6mm | | | |
| | 386-030 | 12mm | 25mm | 70mm | 6mm | | | |
| | 386-040 | 16mm | 25mm | 70mm | 6mm | | | |



| Ball nose taper shape | | | | |
|-----------------------|----------|--------|--------------|-------|
| Code | Diameter | Length | Total length | Shaft |
| 382-010 | 10mm | 25mm | 70mm | 6mm |
| 382-020 | 12mm | 28mm | 73mm | 6mm |
| 382-030 | 16mm | 33mm | 78mm | 6mm |
| | | | | |



| Carbide rotary burr Ball shape | | | | |
|-----------------------------------|----------|--------|--------------|-------|
| Code | Diameter | Length | Total length | Shaft |
| 388-010 | 6mm | 5mm | 50mm | 6mm |
| 388-020 | 8mm | 7mm | 47mm | 6mm |
| 388-030 | 10mm | 9mm | 49mm | 6mm |
| 388-040 12mm 12mm 61mm 6mm | | 6mm | | |
| 388-050 | 16mm | 14mm | 54mm | 6mm |

Measuring tapes



| Measuring tape | | |
|----------------|--------|--|
| Code | Length | |
| 390-010 | 3m | |
| 390-020 | 5m | |
| 390-030 | 8m | |
| 390-040 | 10m | |



| Steel ruler | | |
|-------------|--------|--|
| Code | Length | |
| 392-010 | 150mm | |
| 392-020 | 300mm | |
| 392-030 | 600mm | |
| 392-040 | 1000mm | |

Builders square

Straight edges

| Straight edge Professional | |
|-------------------------------|--------|
| Code | Length |
| 394-010 | 300mm |
| 394-020 | 500mm |
| 394-030 | 1000mm |

Combination square

Engineers square



| Engineer square | | |
|-----------------|--------|--|
| Code | Length | |
| 396-010 | 100mm | |
| 396-020 | 150mm | |
| 396-030 | 200mm | |
| 306-040 | 300mm | |

| Square Builders / Carpenters | | |
|---------------------------------|-------------|--|
| Code | Size | |
| 398-010 | 200 x 300mm | |
| 308 030 | 400 v 600mm | |



Feeler gauges



| Feeler gauge | | | | |
|--------------|---------------|--------|--------|----------|
| Code | Range | Blades | Length | Standard |
| 402-010 | 0.03-1mm | 26 | 100mm | Metric |
| | 0,0015-0,025" | | | Imperial |
| 402-020 | 0.05-1mm | | 150mm | Metric |
| 402-030 | 0.05-1mm | | 200mm | Metric |
| 402-040 | 0.05-1mm | | 300mm | Metric |



Screw pitch gauges



404-010 Screw pitch gauge Metric and imperial

Radius gauges



| 406-010 | |
|--------------------|--|
| | |
| Radius gauge | |
| Inside and outside | |

Standard verniers



| Vernier Standard | |
|----------------------------|--------|
| Code | Length |
| 408-010 | 150mm |
| 408-020 | 200mm |
| 408-030 | 300mm |

Dial type verniers



| Vernier Dial | |
|------------------------|--------|
| Code | Length |
| 410-010 | 150mm |
| 410-020 | 200mm |
| 410-030 | 300mm |

Digital vernier



| Vernier Digital | |
|---------------------------|--------|
| Code | Length |
| 412-010 | 150mm |
| 412-020 | 200mm |
| 412-030 | 300mm |

Inside micrometers



| Outside micrometer Standard type | | |
|----------------------------------|------------|--|
| Code | Range | |
| 414-010 | 0 to 25mm | |
| 414-020 | 25 to 50mm | |
| 414-030 | 50 to 75mm | |
| 414-040 75 to 100mm | | |
| Digital micrometers available | | |
| on request | | |

Dial gauge



418-010
Dial gauge
With lug at back. 0 to 10mm x 0.01mm

Telescopic gauges



424-010 Telescopic gauge set 8 to 150mm



| Spring caliper Inside | | |
|--------------------------|-------|--|
| Code | Size | |
| 430-010 | 100mm | |
| 430-020 | 150mm | |
| 430-030 | 200mm | |
| 430-040 | 250mm | |
| 430-050 | 300mm | |



416-010
Outside micrometer 0 to 100mm
4 Piece
0 - 25mm, 25 - 50mm, 50 - 75mm and 75 - 100mm
Digital micrometer sets available on request

Magnetic base



420-010
Magnetic base
Includes fine adjustment

V Blocks



| V Blocks Magnetic | |
|----------------------|-------|
| Code | Size |
| 426-010 | 75mm |
| 426-020 | 100mm |
| 426-030 | 150mm |

Spring calipers



| Spring caliper Outside | | |
|---------------------------|-------|--|
| Code | Size | |
| 432-010 | 100mm | |
| 432-020 | 150mm | |
| 432-030 | 200mm | |
| 432-040 | 250mm | |
| 432-050 | 300mm | |




416-020
Outside micrometer 0 to 150mm
6 Piece
0 - 25mm, 25 - 50mm, 50 - 75mm, 75 - 100mm, 100 - 125mm and 125 - 150mm
Digital micrometer sets available on request

Bore gauges



| Cont. April 1 | | |
|----------------|-------------|--|
| Bore gauge set | | |
| Dial type | | |
| Code | Range | |
| 422-010 | 18 to 35mm | |
| 422-020 | 35 to 60mm | |
| 422-030 | 50 to 160mm | |

Scribers





| Spring divider | | |
|----------------|-------|--|
| Code | Size | |
| 434-010 | 100mm | |
| 434-020 | 150mm | |
| 434-030 | 200mm | |
| 434-040 | 250mm | |
| 434-050 | 300mm | |

4 Gas analyser (5 Gas option)



4-Gas analyser (5-Gas optional)
Used to measure CO, HC, O2 and Co2 (NOX Optional)
These readings can be used to analyse and adjust the most advance fuel injection and carburettor system. Lambda, AFR and corrective CO can be displayed as well. The warm up time is 3 minutes. Printer included

Diagnostic scanners



- Super diagnostic scanner
 * Read fault codes * Erase fault codes * Reset oil and service lights * Do adjustments
- View live data * Test actuators * Do dynamic tests * Code components
 View technical data and wiring diagrams (optional)
 Communication via Blue Tooth or wired

Printouts possible through data transfer to optional printer

| Contival C upual | too via iritorriot | | | | | 2 |
|------------------|--------------------|------------|-------|----------|------------|---|
| Code | Tablet / PC | Blue Tooth | Wired | Updates | Haynes Pro | |
| 438-010 | Excluded | Yes | No | Included | Included | i |
| 438-020 | Included | Yes | No | Included | Included | |
| 438-030 | Included | No | Yes | Included | Included | |

Smoke tester



Diesel smoke tester Complies with European regulations. Micro processor controlled. To be connected to the 4 / 5 Gas analyser or can work on it's own by interfacing to a computer.



Diagnostic scanner (PC Based)
Bluetooth interface complete with all cables, pins and software. Possible to scan vehicles fitted with 16 pin OBD plugs but also vehicles with older round or square plugs. Includes a 2 channel oscilloscope. Software updates available every 6 months and lowest cost in the industry. Only R1500 per update. PC not included.





Digital CO Tester
Portable CO tester to test fuel injection and carburetor systems. 12 V operation.



Diagnostic scanner (PC Based)
Bluetooth interface complete with all cables, pins and software. Fault finding and technical data included. Software available for cars, trucks, trailers, earth moving vehicles, agricultural vehicles, motorcycles and marine industry. PC not included.



446-010
Petrol compression tester
Includes ridged and flexible
hoses with fittings for most
petrol engines



448-020
Diesel compression tester
Includes a wide variety of
glow plug adaptors for diesel
engines. Pressure 70Bar.



450-020
Fuel injection pressure tester
Suitable for petrol injection systems
Complete with a range of fittings
Pressure 0 to 7Bar

Cylinder leakage tester



452-010
Cylinder leakage tester
Suitable for petrol and diesel engines
Includes adaptors for petrol engines

Compression testers



Petrol compression tester with printout (cards)
Includes ridged and flexible hoses with fittings for
most petrol engines. Packet of 100 cards included.



448-030

Diesel compression tester with printout (cards)
Includes ridged and flexible hoses with fittings for diesel engines. Packet of 100 cards included. All adaptors sold seperately



448-010
Diesel compression tester
Includes a wide variety of
injector adaptors for diesel
engines. Pressure 70Bar.



450-010
Fuel injection pressure tester
Suitable for petrol injection systems
Pressure 0 to 7Bar

Fuel injection pressure testers



450-030
Fuel injection pressure tester (Petrol)
Includes most adaptors, hoses and fittings to test
most petrol engines. Has two gauges and capable
of doing a very important flow test.



450-040
Master fuel injection pressure tester (Petrol)
Includes most adaptors, hoses and fittings to test most petrol engines. Has two gauges and capable of doing a very important flow test.

Vacuum / Pressure testers



454-010
Brake bleeder / vacuum pressure system tester
Suitable to bleed brakes with one person and to test
vacuum related systems accurately and also activate
systems operated by pressure.



454-020
Vacuum pressure tester
To test vacuum related problems
as well as fuel pressure (carburettors)
Not suitable for fuel injection pressures

Carburettor synchroniser



456-010

Carburettor synchronisation kit

The kit let you synchronize the air intake of 2 to 4 carburettors simultaneously. Complete with most

Back pressure tester



Exhaust back pressure tester
Easy to detect blocked catylic converters or exhausts

Noise finder



Electronic stethoscope
2 Channel. Complete with 3 types of sensors. Long fixed sensor, magnetic sensor and clamp on sensor. Used to pinpoint worn bearings, engine faults and other mechanical noises

Diesel timing adaptor



Diesel timing adaptor
The adaptor is designed to be used in conjunction with most petrol timing lights fitted with an inductive clamp. The diesel adaptor's clamp, is supplied with a square clamp capable of testing diesel engines with pipes from 6 to 10mm in diameter.

Fuel flow meter



Fuel flow meter (Common rail diesel engines)
For measuring the amount of fuel the injectors
return to the tank. This way the volume injected
per cylinder can be determined. For use on up to 6 Injectors. Adaptors for Bosch, Siemens, Denso and Delphi injectors

Transmission pressure tester



Transmission pressure tester Supplied with two pressure gauges for high and low pressure ranges. Complete with adaptors. Range 0 to 7Bar & 0 to 35Bar.



Timing light with advance Supplied with inductive clamp that

fits over spark plug lead. Advance reading on dial 0 to 60 degree.

Ultrasonic leak detector



Ultrasonic leak detector

Easy to check for windows and doors not sealing properly.

Oil pressure tester



460-010

Oil pressure tester Hose 600mm long with assortment of fittings. 0 to 35Bar pressure

Stethoscope



Stethoscope

Used to pinpoint worn bearings, engine faults and other mechanical noises.

Timing lights



Timing light with advance, volts, dwell and RPM Supplied with inductive clamp that fits over spark plug lead. Digital display that reads advance (0 to 60 degree), volts, dwell (0 to 100%) and RPM (0 to 9999RPM). RPM and advance readings have a built in function to rectify RPM and advance readings while using on direct ignition engines.

Tachometer



Digital tachometer
To measure RPM of moving shafts, pulley's etc. Contact type by means of various wheels or non contact by means of reflective tape.

Electrical Test Benches

Headlight Aimer



| Electrical test benches For alternators and starters 12 / 24V Bench models | | | |
|--|---------|----------|-----|
| Code | Voltage | Speed | DFM |
| 474-010 | 380V | Fixed | No |
| 474-020 | 230V | Variable | No |
| 474-030 | 230V | Variable | Yes |



| Electrical test benches For alternators and starters 12 / 24V Regulator test and hydraulic starter brake included | | | | | |
|---|---------|----------|-----|--|--|
| Code | Voltage | Speed | DFM | | |
| 474-040 | 380V | Fixed | No | | |
| 474-050 230V Variable No | | | | | |
| 474-060 | 230V | Variable | Yes | | |



Headlight aimer Complete with optical alignment gauge Suitable for symmetric and asymmetric lenses with headlight heights of up to 1660mm. Includes digital LUX meter.

Circuit Testers





478-010 DFM Tester This unit is necessary to test Magneti Marelli and Ford alternators with DFM regulator output



Car tester light 6 to 24V
Sharp probe tip covered with brass protection cap.
You can check the function of car lights fast and easily. Brass casing body.



Car tester light 6 to 50V Sharp probe with special housing to probe through wire easily and lock into position if needed. The use of LED's instead of globes reduces the risk of damage to



Inteli probe 6 - 24V

The probe uses a 5m cable which attaches to the vehicle's battery, allowing the user to perform an electrical test anywhere in, or around the vehicle. The inteli probe is a continuity / voltage tester, with visual indicators to indicate ground or voltage. This circuit tester also supplies battery voltage or ground to activate components. This powerful time-saver tool is perfect for every technician



480-040

Inteli probe 0 - 40V
The probe uses a 5m cable which attaches to the vehicle's battery, allowing the user to perform an electrical test anywhere in, or around the vehicle. The intell probe is a continuity / voltage tester, with visual indicators to indicate ground or voltage with a digital display. This circuit tester also supplies battery voltage or ground to activate components. This powerful time-saver tool is perfect for every technician



Diagnostic Smart Probe

Test ignition plugs, sensor measurement, earth testing, polarity checks, continuity testing and components activation.
Easy reading AVO meter allows you to read voltage, current and resistance as well as an oscilloscope to read pulses at a fingertip. Just pressing power switch, the live wire / ground lead can instantly power up electrical components such as the cooling fans, relays etc.
Instantly identifies positive, negative and open circuits Test for bad ground contacts instantly, allowing you to follow and locate the shorts fast without wasting fuses.

Battery and alternator testers



482-010

Voltage tester 0 - 16V

A must for starting / charging systems and battery tests as well as other electrical tests. Single function meter with large face for simplicity and easy reading. 0 - 16V

DC Volt scale for all automotive electrical systems. Convenient probe and alligator clip.



482-020

Battery alternator tester 12V
Cost effective tester to test battery

and alternator



482-030

Battery and charging system tester Battery testing on 6V and 12V batteries Alternator charging on 12V and 24V systems Suitable to test 200 to 1200 CCA batteries Capable of testing 12V start stop batteries For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



Battery and charging system tester
Battery testing on 12V batteries
Alternator charging on 12V and 24V systems
Suitable to test 40 to 2000 CCA batteries Capable of testing 12V start stop batteries For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



482-050
Blue Tooth Battery and charging system tester
Blue tooth system. Run program from your smart
phone or tablet. Android 4.3 and IOS 8 and above
compatible. Battery testing on 6V and 12V
batteries. Alternator charging on 12V and 24V
systems. Suitable to test f 40 to 2000 CCA
batteries. Capable of testing 12V start stop batteries.
For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



Battery and charging system tester with printer
Battery testing on 12V batteries
Alternator charging on 12V and 24V systems
Suitable to test 40 to 2000 CCA batteries Capable of testing 12V start stop batteries Capable of printing a full report
For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



Battery and charging system tester with printer Battery testing on 6V and 12V batteries Alternator charging on 12V and 24V systems
Suitable to test 40 to 2000 CCA batteries
Capable of testing 12V start stop batteries
Capable of printing a full report
For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



Battery and charging system tester Designed for motorcycle batteries Battery testing on 12V batteries Alternator charging on 12V systems Suitable to test 2.3 to 30 AH batteries For all Lead-Acid, AGM, EFB, GEL, VRLA batteries

Load testers



Battery and charging system tester with printer
Designed for motorcycle batteries
Battery testing on 12V batteries Alternator charging on 12V systems Suitable to test 2.3 to 30AH batteries Capable of printing a full report
For all Lead-Acid, AGM, EFB, GEL, VRLA batteries



Battery load tester (analogue)
Load testing on 6V and 12V batteries
Alternator charging on 12V systems
Suitable to test up to 1000 CCA batteries
Load capacity 125A. Possible to test battery, cranking system (starter) and charging system (alternator)



Battery load tester (digital)
Load testing on 12V batteries. Alternator charging on 12V systems. Suitable to test up to 1000 CCA batteries Load capacity 125A. Possible to test battery, cranking system (starter) and charging system (alternator). Automatically turns off load after 10 sec



Battery load tester (carbon pile)
Load testing on 12V batteries
Alternator charging on 12V systems
Suitable to test up to 1000 CCA batteries Load capacity 500A. Possible to test battery, cranking system (starter) and charging system (alternator) under load. Built in beeper after test.

Multimeters



486-010

Multimeter
AC / DC Voltage 0 to 500V, AC & DC Amperage 0 to 10A, transistor check (PNP or NPN), diode check, resistance up to $2M\Omega$, continuity tester with buzzer and data hold, min & max hold standard



486-020

Multimeter
AC & DC Voltage 0 to 1000V, AC & DC Amperage 0 to 10A (optional clamp on adaptor available to measure amperage up to 600A), frequency up to 10MHz, capacitance up to 4000 μ F, **duty cycle**, resistance up to 60M Ω , continuity tester with buzzer, auto ranging, data hold, min & max hold standard



486-030

Multimeter
AC & DC Voltage 0 to 1000V, AC & DC Amperage 0 to 10A (optional clamp on adaptor available to measure amperage up to 600A), frequency up to 10MHz, capacitance up to $4000\mu\text{F}$, temperature, resistance up to $60\text{M}\Omega$, continuity tester with buzzer, auto ranging, data hold, min & max hold standard

Surge Protectors





Clamp meter

AC / DC Amps 0 to 800V. No need for tapping into the circuit.

Simply clamp the meter over the wire. AC & DC Volts 0 to 600V, temperature, capacitance, frequency, resistance, continuity t ester with buzzer and diode test. Automatic power off function.

Voltage tester

AC & DC Voltage 0 to 690V, phase rotation test, single pole phase check, low impedance check, polarity detection, rotary field indication and continuity test. By simply placing the probes of the tester onto the circuit under test, the meter is automatically turned on.

Protects sensitive electronic components on vehicles when battery terminals are connected or removed, vehicles are boost started with jumper cables / booster

| backs of arc welding is performed | | |
|-----------------------------------|---------|--|
| Code | Voltage | |
| 492-010 | 12V | |
| 492-020 | 24V | |

Battery Hydrometers



Battery hydrometer Cost effective hydrometer to measure specific gravity of battery fluid



Battery hydrometer
Cost effective hydrometer to measure specific gravity of battery fluid



496-010

Refractometer
Test ethylene glycol (antifreeze) strength, battery liquid (specific gravity) as well as

Booster Packs



Booster pack 12V

Capable of starting most petrol & diesel cars and LDV vehicles. Voltage 12V 2000A. Designed to supply high current at short intervals. Not recommended to crank problem vehicles for long durations.



Booster pack 12V 24V
Capable of starting most petrol & diesel cars, LDV's and small trucks. Voltage 12V 4000A or 24V 2000A. Designed to supply high current at short intervals. Not recommended to crank problem vehicles for long durations.



Booster pack 12V

Booster pack 12V
Complete with flash light, USB adaptors smart
phone and tablet adaptors. Capable of starting
most petrol & small to medium diesel and LDV vehicles. Voltage 12V 600A peak. Designed to supply high current at short intervals to start vehicles. Not recommended to crank problem vehicles for long durations.

Battery maintainers / chargers



500-010

Battery maintainer / charger 1.5A 12V Smart charger. Power 1.5A 12V. Keeps batteries fully charged and maintained. To be used on caravans, boats and vehicles that are not frequently used.

500-020 Battery maintainer / charger 3A 12V Smart charger. Power 3A 12V. Keeps

batteries fully charged and maintained. To be used on caravans, boats and vehicles that are not frequently used.

500-030 Battery maintainer / charger 5A 12V Smart charger. Power 5A 12V. Keeps batteries fully charged and maintained. To be used on caravans, boats and

vehicles that are not frequently used.



Smart charger 1.5 / 10A 12V
Smart charger. Power 1.5A 10A 12V.
Keeps batteries fully charged and maintained. To be used on caravans, boats and vehicles that are not frequently used. Batteries can also be quick charged when selecting the 10A function.



Battery maintainer / charger 4 x 5A 12V

Smart charger. Four chargers in one. Power 5A 12V. Charge and maintain up to 4 batteries at a time. Keeps batteries fully charged and maintained. To be used on caravans, boats and vehicles that are not frequently used. Ideal for people that want to charge and maintain more than one battery at a time.



Battery charger 22A 6V or 12V Smart charger. Power 22A 6V or 12V. For all Lead-Acid, AGM, EFB, GEL and VRLA batteries. Quick and easy way to

quick charge a battery without damaging it.




Boost battery charger_on wheels 12 and 24V.

Continuous charge rate of 40A. Boost charge 400A



Battery charger_12A 12 and 24V.

Continuous charge rate of 12A Suitable for wet and AGM batteries



Impact driver





508-010

Impact driver set
6 Piece. To be used to remove stubborn bolts on starters, alternators and other applications. Supplied with 2 x Flat and 2 x Phillips bits



Boost battery charger_on wheels 12 and 24V.

Continuous charge rate of 75A. Boost charge 500A.

Armature growler

For testing armatures on motors

Booster Cables



510-010
Battery booster cables (1000A)
Very heavy duty cables suitable for most vehicles. Battery cables are 50m2 and use clamps with copper tips.



Alternator socket
Suitable for Bosch alternators normally found
on Mercedes Benz, VW, Audi and BMW vehicles



516-010 Battery terminal cleaner Suitable of cleaning battery terminals (posts) and battery clamps



| Battery booster cables | | | |
|------------------------|------|-----|--|
| Code Capacity Length | | | |
| 510-020 | 400A | 3m | |
| 510-030 | 600A | 3m | |
| 510.040 | 8004 | 3 m | |

Alternator Sockets



Alternator socket set 13 Piece. Suitable to most alternators

Battery Carier



512-010 Battery carrier
Tool for lifting and carrying batteries effortless



Alternator socket set 18 Piece. Suitable to most alternators

Battery terminal tools



516-020
Battery terminal & wiper arm puller
Easily removes stuck battery terminals and bolted on windshield wiper arms, that fit over a tapered spline.



516-030 Battery plier 7" Used on battery terminals

Crimping pliers



518-010 Crimping pliers
Capacity 1.25mm to 8mm



518-020 Crimping pliers
Capacity 1.25mm to 14mm



Crimping tool set
7 Piece. Ratchet type to apply consistent
pressure. Suitable for insulated, non insulated, open barrel, cord end and coaxial terminals.

Wire strippers



520-010 Wire stripper 0.2 to 6mm wire



520-020 Wire stripper 0.2 to 6mm wire



520-030 Wire stripper 0.2 to 6mm wire Fully insulated

Ignition tools



522-010
Ignition lock remover
Tool used for removing Mercedes Benz ignition locks



Relay plier
For the safe removal of electrical relays and fuses.
Spring loaded for one handed operation.



522-030
Spark lead plier
For removing plug and coil leads to avoid being shocked by HT leads

Radio removal kit



522-040
Ignition coil puller
For removing VW and Audi ignition coils



Ignition coil puller set
4 Piece. Suitable to be used on VW and Audi ignition coils



524-010
Master radio set
46 Piece master set to install and / or remove most automotive radios



| Soldering irons | | |
|-----------------|-------|--|
| Code | Power | |
| 526-010 | 40W | |
| 526-020 | 80W | |
| 526-030 | 120W | |
| 526-040 | 175W | |



| Soldering g | jun / station | |
|-------------|---------------|-------|
| Code | Description | Power |
| 528-010 | Gun | 100W |
| 528-020 | Tips for gun | |
| 528-030 | Station | 40W |



| Solder Resin core suitable for electronic work Acid core suitable for plumbing work | | | | | | |
|---|-----------|--------|-------|--|--|--|
| Code | Thickness | Weight | Core | | | |
| 530-010 | 0.7mm | 500g | Resin | | | |
| 530-020 | 0.9mm | 500g | Resin | | | |
| 530-030 | 1.25mm | 500g | Resin | | | |
| 530-040 | 1.6mm | 500g | Resin | | | |
| 530-050 | 2mm | 500g | Resin | | | |
| 530-060 | 2.5mm | 500g | Acid | | | |

Aircon charging stations







532-010

Aircon station
R134A
Gas recovery, leak check, oil recovery and injection and recharging all done automatically. Very easy to operate. Integrated vehicle database. Suitable for cars and bakkies. Tank capacity 12.5Kg. 220V Single phase Optional printer available



Aircon flushing station
To be used as a stand alone unit to clean aircon systems. Suitable for R134A gas. 230V Single phase.

532-020

Aircon station R134A and R1234yF Two machines in one. Gas recovery, leak check, oil recovery and injection and recharging all done automatically. Very easy to operate. Integrated vehicle database. Suitable for cars and bakkies. Tank capacity 2 x 10.5Kg. 220V Single phase Printer included.

532-030

Aircon station R134A Gas recovery, leak check, oil recovery and injection and recharging all done automatically. Very easy to operate. Integrated vehicle database. Suitable for cars and bakkies. Tank capacity 30Kg. 220V Single phase Printer included. Recommended for Bus service.

Aircon consumables



Aircon flushing kit
To be used with any of the aircon



536-010 R134A Aircon gas 13Kg Bottle



UV Light with goggles
To check leaks on aircon systems. Works in conjunction with UV dye



536-030 eak detecting dye 250ml Bottle



536-040 Pag oil 100 1L Bottle



538-010 Fuel line disconnect tool1/4, 5/16, 3/8, 1/2,
5/8, 3/4 & 7/8" adaptors



538-020 Fuel line disconnect plier set Blue 1/4", 5/16", 8mm Green 3/8", 10mm Red Special applications



538-030 Hose clamp plier set 9 Piece



538-040
Fuel feed pipe pliers
Suitable for releasing connections on fuel pipes during maintenance or when replacing fuel filters



538-050
Hose clamp plier
With long extension to reach hard to get places



538-060
Hose clamp plier
Straight type with built in ratchet



538-070 Hose clamp plier Angled type with built in ratchet



Fuel line pliers
Used to remove clamps on fuel lines

Pipe cutters



538-090 Hose clamp pliers Click type



540-010 Pipe cutter (mini type) 3mm – 28mm



540-020 Pipe cutter 3mm – 28mm



540-030 Pipe cutter 12mm – 50mm



542-010

Double flaring tool with pipe cutter

Suitable for aluminium & copper tubing

Flaring tools



542-020 Double flaring tool Suitable for 1/4", 5/16", 3/8", 1/2", 5/8" and 3/4" tubing.



542-030
Hydraulic flaring tool (metric and imperial)
Professional flaring tool for various types of flaring.
Suitable for steel, copper & aluminium tubing



544-010 Tube bender Suitable for 10 to 13mm tubing



546-010
Radiator pressure tester
28 Piece. Master cooling radiator pressure tester with vacuum purge and refill kit.
Suitable for most vehicles



Radiator pressure tester

18 Piece. Universal radiator pressure
tester. Kit includes cap tester. Suitable for
a wide variety of vehicles. Aluminium radiator
caps.

Pipe benders



544-020
Pipe bender
Suitable for 6, 8 and 10mm tubing

Radiator pressure testers



Radiator pressure tester

14 Piece. Universal radiator pressure tester. Kit includes thermometer. Suitable for a wide variety of vehicles



546-050
Radiator vacuum purge & refill kit
Refill entire cooling system quickly. Eliminates
the need for bleeding and purging the system
to prevent air pockets.



544-030
Pipe bender
Suitable for pipes 15mm and 22mm in diameter (1/2" and 3/4")



546-030
Radiator cap pressure tester
Suitable for most standard radiator cap
pressure testing. Pressure pump capable
of testing up to 2 Bar (30 psi)



Radiator pressure tester
Ideal for locating system leaks from head gaskets, header tank, radiator, feeder core, core plugs, water pump and hoses. Suitable for most vehicles including trucks. With special patented bludder it's easy to use with no special adaptors

Block testers

Fuel / Brake hose clamps



Block tester
Testing kit to check cylinder heads and blocks for cracks and / or blown gaskets



Block testing fluid
Additional fluid to be used with block tester. Recommended to keep fluid refrigerated to extend shelf life



548-010
Fuel & brake line clamps
Compact design allows use in

confined spaces. Suitable for use on fuel, vacuum and brake hoses



Fuel & brake line clamps

Plastic pliers prevent harm to hoses. Suitable for use on fuel, vacuum and brake hoses



Antifreeze tester

Test ethylene glycol strength and include temperature adjustment scale for accurate interpretation of mixture strength.



Refractometer

Test ethylene glycol (antifreeze) strength, battery liquid (specific gravity) as well as washer fluid.

Viscous van clutch spanners



Viscous fan spanner set Suitable for most viscous fans including BMW and Mercedes Benz vehicles.

Carburettor / Injection adjustment set



Antifreeze testers



554-010

Fuel lid spanner

Infrared thermometer
Temperature from -50 °C to 1050 °C. Include dual laser for accurate distance measurement, data hold and maximum reading hold.



554-020

Pen type thermometer
Temperature from -40 °C to 250 °C. Includes data hold, automatic power off, and minimum / maximum reading hold. Probe made of stainless steel.

Turbo spanner



Carburettor & fuel injection set Most drivers to adjust carburettor and fuel injection systems



Fuel injection lid remover Adjustable tool to remove most

fuel tank lids. 45 - 190mm



Turbo spanner

12mm Bi-hexagon spanner to be used with 3/8" Drive ratchet. To be used on VW / Audi diesel engines fitted with turbo chargers

560-010 Timing tool BMW, Mini B38 / B48 / B58



566-010 Timing tool BMW, Opel, Land Rover, Range Rover 2.5 TDS



562-040 Timing tool BMW M42 / M44 / M50 / M52 / M52TU M54 / M56 / S50US / S52US



562-070 Timing tool BMW M42 / M47 / M50 / M52 / M60

BMW timing tools



562-010 Timing tool BMW M40 / M43



566-020 Timing tool BMW, Land Rover, Range Rover, Rover, Opel M41 / M47 / M47TU / M47T2 / M47R M51 / M57 / M57TU / M57T2 2.0 3.0 204D3, Td4, Td6



562-050 Timing tool BMW M42 / M50



562-080 Timing tool BMW N43 1.6 / 2.0 Petrol



562-020 Timing tool BMW N40 / N42 / N45 / N46



562-030 Timing tool BMW M40 / M42 / M43 / M44 / M50 M52 / M54 / M55 / M60



562-060 Timing tool BMW M42 / M44 / M50 / M52 / M54 / M56



562-090 Timing tool BMW M47 1.6 2.0



562-100 Timing tool BMW M52TU / M54 / M56



568-010 Timing tool BMW, Mini, Citroen, Peugeot N12 / N14 1.4 1.6 Petrol



562-140 Timing tool BMW N40 N45 N45T



562-170 Timing tool BMW N47 / N47S 2.0 Diesel

BMW timing tools



562-110 Timing tool BMW M60 / M62



560-020 Timing tool BMW, Mini N13 / N16 / N18



562-150 Timing tool BMW N42 / N46



560-030 Timing tool BMW, Mini N47 / N47S / N57 R56 / R60 / R61 2.0 Diesel



562-120 Timing tool BMW M60 / M62



562-130 Timing tool BMW N20 / N26 4 Cylinder turbo



562-160 Timing tool BMW N42 / N46 / N46T 1.8 2.0 Petrol



562-180 Timing tool BMW N51 / N52

BMW timing tools



562-190 Timing tool BMW N53 / N54



562-220 Timing tool BMW N62 / N73 V8 / V12



562-250 Timing tool BMW R50 / R52 / R53 W10 / W11



564-020 Timing tool Mercedes Benz



562-200 Timing tool BMW N51 / N52 / N53 / N54



562-230 Timing tool BMW N62 / N73 V8 / V12

Mercedes Benz timing tools



562-260 Timing tool BMW S54



564-030 Timing tool Mercedes Benz M157 / M276 / M278



562-210 Timing tool BMW N51 / N52 / N53 / N54 / N55



562-240 Timing tool BMW N63 / N74



564-010 Crankshaft pulley socket Mercedes Benz M133 / M157 / M270 / M271 / M276 / M278 T100H 1/2" Drive



570-010
Timing tool
Mercedes Benz, Chrysler, Jeep
CDI 2.0 2.2 2.7 3.3 4.0
D-DT 2.0 2.2 2.5 2.9 3.0
Petrol 1.8 2.0 2.3

Mercedes Benz timing tools



564-040 Timing tool Mercedes Benz M156 (AMG)



564-050 Timing tool Mercedes Benz M270 / M274

VW / Audi timing tools



564-060 Chain rivet tool Mercedes Benz M272 / M273 1.7 2.1 2.2 2.7 3.0 3.2 3.9 4.0 Diesel



572-030 Timing tool VW, Audi TSI / FSI / TFSI 1.2 1.4 1.6 CBZA / CBZB / CBZC AXU / BAG / BKG / BLF / BLN / BLP



572-010 Timing tool VW, Audi FSI / TFSI 1.4 1.6 AXU / BAG / BKG / BLF / BLN / BLP





572-050 Timing tool VW, Audi FSI 1.8



572-060 Timing tool VW, Audi TSI 1.2 1.4



572-040

Timing tool VW, Audi FSI / TFSI 1.4 1.6

572-070 Timing tool VW, Audi TSI 1.0 CHYA, CHYB, CPGA, DAFA



572-080 Timing tool VW, Audi TSI 1.0 1.2 1.4 1.6 EA211



572-090 Timing tool VW, Audi TSI 1.2 1.4

VW / Audi timing tools



572-100 Timing tool VW, Audi TFSI 1.4 CPTA, CZEA



572-130 Timing tool VW, Audi Diesel



572-160 Timing tool VW, Audi FSI TFSI 2.0 2.8 3.0T



572-190 Timing tool VW, Audi 2.4 3.2 FSI V6



572-110 Timing tool VW, Audi FSI/TFSI 1.8 2.0 16V



572-140 Timing tool VW, Audi TSI / TFSI 1.8 2.0 Petrol



572-170 Timing tool VW, Audi FSI 2.0 2.4 2.8 3.0 3.2 4.2



572-200 Timing tool VW, Audi TDI 2.7 3.0



572-120 Timing tool VW, Audi FSI / TFSI 2.0 AWA / AXW / BHD / BMB



572-150 Timing tool VW, Audi TSI / TFSI 1.8 2.0 EA888



572-180 Timing tool VW, Audi FSI 2.4 3.2 V6 V8 V10



572-210 Timing tool VW, Audi 2.7D 3.0D TDi V6 4.2D TDi V8



572-220 Timing tool VW, Audi TDI 1.9



572-250 Timing tool VW, Audi TDI SDI 1.9



572-280 Timing tool
VW, Audi
1.2 1.4 1.9 2.0
AFB / KE / AKN / AYM / BAU / BCZ / BOG / BOH / BFC



572-310 Timing tool VW, Audi 1.4 1.6 16V Petrol

VW / Audi timing tools



572-230 Timing tool VW, Audi TDI 1.2 1.4 1.6 1.9 2.0



572-260 Timing tool VW, Audi TSI 1.2 CBZA / CBZB



572-290 Timing tool VW, Audi TDI 2.5 V6 3.3 V8



572-320 Timing tool VW, Audi TDI SDI 1.9



572-240 Timing tool VW, Audi TDI Diesel 1.6 2.0



572-270 Timing tool VW, Audi 1.2 Petrol



Timing tool VW, Audi A4, A6, A8, A11 1997 - 2004



572-330 Timing tool VW, Audi 2.3 2.8 Petrol

VW / Audi timing tools



572-340 Timing tool VW, Audi, Ford 2.3 2.8 2.9

AAA/ABV/AES/AGZ/AMY/AFP/AZX



Cam chain tensioner

VW, Audi
AHA/APH/ATQ/AUG/AWM/AWP
AMV/AMB/AMU/APB/ART/ATC/AWN
BBD/BCY/BEA/BEL/BFM/BKF/BNU



572-360 Timing tool VW, Audi TDI 2.5



572-370 Timing tool VW, Audi TDI SDI 2.4 2.5



572-380 Timing tool VW, Audi TDI PD 2.5

AXD / AXE / BAC / BLJ / BLK / BPD / BPC / BPE



572-390 Timing tool VW, Audi D TDI PD 2.5 4.9 BAC / BLK / BDP / AXD / AXE / AYH / BLJ / BNZ / BPC / AYH



572-400 Timing tool VW, Audi 2.4 2.8 V6



572-410 Timing tool VW, Audi V8



572-440 Crankshaft pulley puller VW, Audi 4 and 5 Cylinder engines



572-420 Timing tool VW, Audi 2.4 2.7 2.8 3.0



574-010 Timing tool Opel, Fiat, Alfa Romeo, Chevrolet 1.4 1.6 1.8 16V Petrol



576-010 Timing tool Opel, Chevrolet 2.0 Diesel



576-020 Timing tool Opel, Chevrolet 1.4 Petrol



574-020 Timing tool Opel, Fiat, Alfa Romeo 1.9 2.4



578-060 Timing tool Opel 1.5 1.9 2.2 2.5 DCI K9K, K9Q, G9T, G9U

Opel timing tools



578-010 Timing tool Opel 1.0 1.2 16V Petrol



578-030 Timing tool Opel 1.3 1.9 2.0 2.2



578-040 Timing tool Opel 2.0 CDTI



576-030 Water pump spanner Opel, Chevrolet 41mm 1/2" Drive



578-020 Timing tool Opel 1.4 A14NEL / A14NET / A14XER



580-010 Timing tool Opel, Fiat 1.7 1.9 2.4 D / TD / JTD / CDTI



578-050 Timing tool Opel 1.6 1.7 Diesel



576-040 Water pump spanner Opel, Chevrolet 46mm 1/2" Drive

582-010 Timing tool Alfa Romeo, Fiat, Lancia 1.2 1.4 1.6 1.8 2.0 3.0



584-020 Timing tool Fiat 500 8V 1.2 1.4 VVT





584-010 Timing tool Fiat 1.2 1.4 1.6 1.8 16V 1.9 2.4 D / TD / JTD Petrol and diesel



584-030 Timing tool Fiat 1.2 8V 1.4 16V Petrol



586-010 Timing tool Fiat, Lancia 1.4 Fire EVO



588-010 Timing tool Fiat, Iveco, Opel, Citroen, Peugeot, Renault 2.5 2.8 TDI / JTD / HDI / D



584-040 Timing tool Fiat 1.6 16V



584-050 Timing tool Fiat 1.6 16V



590-010 Timing tool Fiat, Iveco 2.3 3.0 JTD



586-020 Timing tool Fiat, Lancia 1.2 16V



580-020 Timing tool Fiat, Opel 1.3 CDTI / JTD



590-020 Timing tool Fiat, Iveco 2.3 3.0 JTD

Fiat timing tools



Timing tool Fiat, Alfa Romeo, Lancia 1.4 MultiAir



582-030 Timing tool Fiat, Lancia, Alfa Romeo 0.9 TwinAir Turbo



588-020 Timing tool Fiat, Iveco, Ford, Citroen, Peugeot 2.2 TDCI / JTD / HPI



584-060 Timing tool Fiat



Alfa Romeo timing tools

584-070 Timing tool Fiat 1.2 8V EVO



592-010 Timing tool Alfa Romeo 1.4 1.6 16V TS



592-020 Timing tool Alfa Romeo 1.8 2.0 16V 2.0 TS



592-030 Timing tool Alfa Romeo 2.5 3.0 V6 24V



Timing tool
Renault, Nissan

16V
D4F / K4J / K4M / F4P / F4R / F4Rt / F5R740 / K9K / FR4720

Renault timing tools



596-010 Timing tool Renault 2.0 IDE F5R



596-020 Timing tool Renault 1.2 1.4 1.5 1.6 1.8 2.0 2.0T 16V CDI Petrol and diesel



598-010 Timing tool Renault, Nissan, Opel 1.2 1.4 1.5 1.6 1.8 2.0 2.0T 16V DCI Petrol and diesel

594-010



596-030 Timing tool Renault 16V

K4J / K4M / F4P / F4R

Renault timing tools



596-040 **Timing tool** Renault 1.2 1.4 1.6 1.8 2.0 2.2 2.5 16V 20V D/TD

Petrol and diesel

598-020 Timing tool Renault, Nissan, Opel 1.5 1.9 2.2 2.5

Renault / Nissan timing tools



594-020 Timing tool Renault, Nissan 3.0 DCI



594-030 Timing tool Renault, Nissan

DCI



596-050 Timing tool Renault 2.0 CDI Diesel



Timing tool Renault, Nissan, Opel 1.5 1.9 2.0 2.2



Timing tool Renault, Volvo 1.6 1.8 1.9 2.0 2.2 2.3 2.4 2.5 16V 20V



602-010 Timing tool Ford 1.25 1.4 1.6 2.0 16V



604-010 Timing tool Volvo 1.8 2.0 16V



606-010 Timing tool Ford, Mazda 1.25 1.4 1.6 1.7 1.8 2.0 16V



606-020 Timing tool Ford, Mazda 1.25 1.4 1.7 1.8 2.0 16V

606-030 Timing tool Ford, Mazda 1.25 1.4 1.6 1.7 2.0 16V 1.8 TDI

Ford timing tools



602-020 Timing tool Ford 1.6 TI-VCT



602-030 Pulley lock Ford



602-040 Timing tool Ford 1.6 TI-VCT



608-010 Timing tool Ford, Volvo 1.6 EcoBoost



602-050
Timing tool
Ford
1.6
EcoBoost



608-020 Timing tool Ford, Volvo 1.6 EcoBoost



602-060 Timing tool Ford 1.6 TI-VCT TDI



602-070 Timing tool Ford 1.8 TDDI / TDCI



606-040 Timing tool Ford, Mazda 1.25 1.3 1.4 1.6 1.8 1.9 1.9T 2.0 2.5T Petrol and diesel



606-050 Timing tool Ford, Mazda 1.25 1.4 1.6 1.8 2.0 2.4 Petrol and diesel



602-080 Timing tool Ford 1.25 1.4 1.6 1.7 1.8 2.0 VCT-TI / TDCI / DI / TDDI Petrol and diesel




602-090 Timing tool Ford 2.0T TI-VCT



606-060 Timing tool Ford, Mazda 1.8 2.0 2.3




610-010 Timing tool Ford, Mazda, Volvo 1.6 2.0



602-100 Flywheel lock Ford 1.25 1.4 1.6 1.7 1.8 2.0 2.2



612-010 Timing tool Ford, Volvo, Peugeot, Citroen, Land Rover 2.0 2.2



602-110 Timing tool Ford 1.25 1.4 1.6 1.7 1.8 2.0 16V



602-120 Injection pump tool Ford 2.0 2.4 16V



602-130 Timing tool Ford 2.0 2.2 2.4 Diesel



602-140 Timing tool Ford 1.0 Ecoboost 3 Cylinder



602-150 Timing tool Ford 2.2 3.2 TDCI



612-020 Timing tool Ford, Citroen, Peugeot 1.4 1.6 2.0 2.4 8V 16V TDCI TDI HDI



602-160 Timing tool Ford 1.6 1.8 2.5 D / TD

Ford / Mazda timing tools



606-070 Timing gear puller Ford, Mazda 1.8 2.5 TDCI / TCI / TDDI



600-010 Timing tool Renault, Volvo 1.6 1.8 1.9 2.0 2.2 2.3 2.4 2.5 16V 20V



604-040 Timing tool Volvo 2.0 3.0 3.2 T6



604-060 Crankshaft holding tool Volvo 5 and 6 Cylinder engines



606-080 Timing tool Ford, Mazda 1.8 2.0 2.3T

SCI/LF/L3

Volvo timing tools



604-020 Timing tool Volvo 1.6 2.0 T4 T5



Timing tool Volvo 850 960 S40 S60 S70 S80



608-030 Timing tool Ford, Volvo 2.5T HUBA / HUWA / HYD



Timing tool Volvo 2.0 T4 T5



614-010 Timing tool Volvo, Land Rover 3.0 3.2 T6

Land Rover / Jaguar timing tools



616-010 Timing tool Land Rover, Jaguar 4.2 4.4 V8



616-020 Timing tool Land Rover, Jaguar 2.7 276D / 276DT

Land Rover / Jaguar timing tools



616-030 Timing tool Jaguar, Land Rover



616-050 Crankshaft sensor locking tool Land Rover, Jaguar 3.0 3.6 Diesel



620-010 Timing tool Citroen, Peugeot HPI / HDI Petrol and diesel



568-010 Timing tool BMW, Mini, Citroen, Peugeot N12 / N14 1.4 1.6 Petrol



616-040 Timing tool Land Rover, Jaguar 3.0 5.0



566-010 Timing tool BMW, Opel, Land Rover, Range Rover 2.5 TDS

Citroen / Peugeot timing tools



620-020 Timing tool Citroen, Peugeot 1.8 2.0 16V 6FZ / RFN



620-040 Timing tool Peugeot, Citroen 1.0 1.2 VTI Petrol



618-010 Timing tool Land Rover, Rover 2.0 2.5 V6 Petrol



566-020
Timing tool
BMW, Land Rover, Range Rover, Rover, Opel
M41 / M47 / M47TU / M47T2 / M47R
M51 / M57 / M57TU / M57T2
2.0 3.0
204D3, Td4, Td6



620-030 Timing tool Citroen, Peugeot 1.4 16V

Toyota / Mitsubishi timing tool



622-010 Timing tool Toyota, Mitsubishi Petrol and diesel

Toyota / Mazda timing tool



624-010 Timing tool Toyota, Mazda Petrol and diesel



570-010 Timing tool Mercedes Benz, Chrysler, Jeep CDI 2.0 2.2 2.7 3.3 4.0 D-DT 2.0 2.2 2.5 2.9 3.0 Petrol 1.8 2.0 2.3



632-010
Timing tool
Universal
Single overhead and twin cam engines

Universal timing tool



632-040 Timing tool fuel pump Universal Diesel engines

Honda tools



626-010 Harmonic damper pulley socket Honda 50mm Hexagon 1/2" Drive



628-020 Timing tool Chrysler, Jeep 2.5 2.8 CRD

Universal timing tools



632-020 Timing tool Universal Twin cam engines

Chrysler timing tools



628-010 Timing tool Chrysler 2.8 Diesel

Chery timing tool



630-010 Timing tool Chery A3, A5, Tiggo SQR481, 484



632-030 Timing tool Universal Twin cam engines

Pulley locking tools



634-010
Pulley locking tool
Universal
21 - 100mm Diameter between holes



634-020
Pulley locking tool
Universal
Movable arm



Crankshaft lock BMW N12 / N14 / N40 / N42 / N45 / N46 / N52



Crank pulley holding tool VW, Audi 1.8 2.0 Petrol



Timing belt tensioner spanner VW, Audi TSI / TFSI 1.2 1.4



VW Audi adjustment tool
Belt tension adjustment tool



Flywheel lock (Mercedes Benz)
Suitable for M651 series



Crankshaft pulley socket
Mercedes Benz
M133 / M157 / M270 / M271 / M276 / M278 T100H 1/2" Drive

Motorcycle magneto puller





Motorcycle magneto puller Suitable for most motorcycles



Pulley holding tool
V Groove
Used for clamping and holding V groove



Hand impact wrench
Remove nuts effortlessly with this tool where limited space is available



640-010 Cam belt tension gauge Universal Suitable for belts with various thicknesses



Stretch belt installer
5 Piece. Suitable for a wide range of motor vehicles



Stretch belt installer
4 Piece. Suitable for a wide range of motor vehicles

Torque wrench

Torque angle gauge

Torque multiplier







644-010 Torque angle gauge Work with 1/2" drive ratchet. Easy to read the dial, calibrated in degrees



| Torque multiplier By using a smaller torque wrench, much higher torques (5 times more) can be obtained | | | | | |
|--|-------|--------|-----------|--|--|
| Code | Ratio | Torque | Drive | | |
| 646-010 | 5:1 | 2000Nm | 1/2" & 1" | | |
| 646-020 | 5:1 | 2700Nm | 3/4" & 1" | | |

Torque wrenches



| Torque v | vrench | | | | |
|-------------|-------------------|----------|------------|------------------|-------|
| Forward | & reverse (torg | ue in fo | orward (cl | ockwise) positio | n) |
| Lock to p | revent acciden | tal torq | ue adjust | ment settings | |
| Calibration | on certificate in | cluded | | | |
| Code | Range | Drive | Code | Range | Drive |
| 648-010 | 5 to 25Nm | 1/4" | 648-050 | 70 to 340Nm | 1/2" |
| 648-020 | 5 to 25Nm | 3/8" | 648-060 | 65 to 450Nm | 3/4" |
| 648-030 | 20 to 110Nm | 3/8" | 648-070 | 140 to 980Nm | 1" |
| 648-040 | 42 to 210Nm | 1/2" | | | |

| Torque wrench Dial type for easy and accurate settings Calibration certificate included | | | | | | |
|---|-------------|-------|---------|---------------|-------|--|
| Code | Torque | Drive | Code | Torque | Drive | |
| 650-010 | 4 to 20Nm | 3/8" | 650-060 | 80 to 400Nm | 3/4" | |
| 650-020 | 10 to 50Nm | 3/8" | 650-070 | 150 to 700Nm | 3/4" | |
| 650-030 | 20 to 100Nm | 1/2" | 650-080 | 300 to 1000Nm | 3/4" | |
| 650-040 | 40 to 200Nm | 1/2" | 650-090 | 700 to 1500Nm | 1" | |
| 650-050 | 60 to 300Nm | 1/2" | | | | |



| Torque wrench With interchange Calibration certif | eable bits | | | | |
|---|-------------|-----------|---------|---------------|-----------|
| Code | Torque | Bit size | Code | Torque | Bit size |
| 652-010 | 4 to 20Nm | 9 x 12mm | 652-050 | 40 to 200Nm | 14 x 18mm |
| 652-020 | 10 to 60Nm | 9 x 12mm | 652-060 | 60 to 340Nm | 14 x 18mm |
| 652-030 | 20 to 100Nm | 9 x 12mm | 652-070 | 100 to 600Nm | 14 x 18mm |
| 652-040 | 20 to 100Nm | 14 x 18mm | 652-080 | 200 to 1000Nm | 14 x 18mm |



Interchangeable bits



| Open end i | nsert tool | | | | |
|------------|------------|----------|---------|------|-----------|
| Code | Size | Square | Code | Size | Square |
| 654-010 | 7mm | 9 x 12mm | 656-010 | 13mm | 14 x 18mm |
| 654-020 | 8mm | 9 x 12mm | 656-020 | 14mm | 14 x 18mm |
| 654-030 | 9mm | 9 x 12mm | 656-030 | 15mm | 14 x 18mm |
| 654-040 | 10mm | 9 x 12mm | 656-040 | 16mm | 14 x 18mm |
| 654-050 | 11mm | 9 x 12mm | 656-050 | 17mm | 14 x 18mm |
| 654-060 | 12mm | 9 x 12mm | 656-060 | 18mm | 14 x 18mm |
| 654-070 | 13mm | 9 x 12mm | 656-070 | 19mm | 14 x 18mm |
| 654-080 | 14mm | 9 x 12mm | 656-080 | 22mm | 14 x 18mm |
| 654-090 | 15mm | 9 x 12mm | 656-090 | 24mm | 14 x 18mm |
| 654-100 | 17mm | 9 x 12mm | 656-100 | 27mm | 14 x 18mm |
| 654-110 | 18mm | 9 x 12mm | 656-110 | 30mm | 14 x 18mm |
| 654-120 | 19mm | 9 x 12mm | 656-120 | 32mm | 14 x 18mm |
| 654-130 | 21mm | 9 x 12mm | 656-130 | 36mm | 14 x 18mm |
| 654-140 | 22mm | 9 x 12mm | 656-140 | 38mm | 14 x 18mm |
| | | | 656-150 | 41mm | 14 x 18mm |
| | | | 656-160 | 46mm | 14 x 18mm |

| Ring insert | tool | | | | |
|-------------|------|----------|---------|------|-----------|
| Code | Size | Square | Code | Size | Square |
| 658-010 | 10mm | 9 x 12mm | 660-010 | 16mm | 14 x 18mm |
| 658-020 | 11mm | 9 x 12mm | 660-020 | 17mm | 14 x 18mm |
| 658-030 | 12mm | 9 x 12mm | 660-030 | 18mm | 14 x 18mm |
| 658-040 | 13mm | 9 x 12mm | 660-040 | 19mm | 14 x 18mm |
| 658-050 | 14mm | 9 x 12mm | 660-050 | 24mm | 14 x 18mm |
| 658-060 | 16mm | 9 x 12mm | 660-060 | 27mm | 14 x 18mm |
| 658-070 | 17mm | 9 x 12mm | 660-070 | 30mm | 14 x 18mm |
| 658-080 | 19mm | 9 x 12mm | 660-080 | 32mm | 14 x 18mm |
| | | | 660-090 | 36mm | 14 x 18mm |

Magnetic parts dishes

Pick & hook sets



Magnetic dish (round)
150mm Diameter



62-020 Magnetic dish (rectangular) 240mm x 140mm



428-020 Pick and hook set

2 Piece For removal of bushings, cotter pins, O-rings & seals. Curve hook, 45-degree hook, 90 degree hook, straight pick.

Magnetic pick up tool



Mini pick and hook set

4 Piece
For removal of bushings, cotter pins, O-rings & seals. Curve hook, 45-degree hook, 90 degree hook, straight Pick.

Magnetic pick up tool



Pick up tool
Length 525mm. Flexible magnetic pick up with very narrow front end to get into small spaces.



Mini pick and hook set

For removal of bushings, cotter pins, O-rings & seals. Curve hook, 3 x 45-degree hook, 90 degree hook, straight Pick

Magnetic pick up tool with light



Pick up tool
Length 585mm. Flexible magnetic pick up tool with LED light to pick up objects.



Pick up tool
Length 580mm. Telescopic, magnetic pick up tool with very strong magnet to pick up heavy objects. Weight capacity 3.5Kg.

Pick up tool with claw



Pick up tool Length 610mm. Flexible magnetic pick up tool with mechanical claw to pick up objects.

Pick up tool with claw and light



666-050

Length 610mm. Flexible magnetic pick up tool with mechanical claw and LED light to pick up objects.

Inspection mirrors




668-010

Inspection mirror Length 580mm. Telescopic, inspection mirror with small mirror to get into small spaces.



Inspection mirror
Length 580mm. Telescopic, inspection mirror with large mirror to get into places where space is not a problem. Size of mirror 50mm x 92mm.



Inspection camera
Colour screen. Probe is 1m long with 9mm front piece. Camera uses AA batteries.



Removable colour screen with remote data transmission. Camera capable for recording video and images. Probe is 1m long with 9mm front piece. Rechargeable monitor.



Inspection light (lead light)
Lead light complete with 5m cable and plug

Inspection lights (lead lights)



672-020 Inspection light

Pen, pocket inspection light with 6 LED lights. Small and compact. Use AA batteries.



Inspection light (slim type)
Inspection light with cob LED light. Rechargeable batteries.



Inspection light (under bonnet)
Inspection light with 3 very bright cob LED lights. Rechargeable batteries.



672-050

Inspection light 1000 Lumens
The portable LED work light with a powerful 1000 lumen output. Its folding 180° kickstand contains a useful hanging hook and integral magnets. An additional 300 lumen torch provides a useful spot beam. The light has three dim settings to extend its run time



Inspection light 500 Lumens
The portable LED work light with a powerful 500 lumen output. Integral pocket clip and strong magnets for hands free use. An additional 200 lumen torch provides a useful spot beam. USB charging cable included.

Seat / Fender covers



672-070

Inspection light 300 Lumens
The portable LED work light with a powerful 300 lumen output. Integral pocket clip and strong magnets for hands free use. An additional 100 lumen torch provides a useful spot beam. USB charging cable included.



Fender cover

Universal protective fender cover. Reusable. Made of very durable leather that is water and oil resistant. Magnetic strip is used for easy fitment without the risk of scratching the paint



674-020

Magnetic with scratch resistant material on the bottom. Shaped to follow the contour of the wheel arch. Size 1050mm x 650mm.



Seat cover

Seat cover Universal protective cover designed for the front seats of passenger cars. Made from non-woven polypropylene. Reusable. Elastic material sewn into the back of the cover to hold the cover perfectly. Very easy and quick to fit.

Lever type greaser

Air greaser (pneumatic)



678-010 Greaser pom pom Capacity 300ml

Greaser lever type
Capacity 500ml

20.040

680-010 Greaser lever type Capacity 500ml

Greaser hand operated



678-030
Greaser hand operated
Complete with container.
Capacity 15 Kg

Greaser foot operated



Greaser foot operated
Capacity 8Kg

Greaser pneumatic



680-020
Greaser pneumatically operated
Complete with 3m hose, control on wheels.
Capacity 15 L

Field greaser



678-050
Greaser field type
Complete with hose, control & follower plate
To fit a 15Kg bucket

Greaser (pneumatic)



 Greaser (pneumatic)

 Complete with hose, control, drum cover & follower plate.

 Code
 To fit drum size

 680-040
 20Kg

 680-050
 50Kg

 680-060
 180Kg

Greaser with trolley & reel



G80-060
Greaser field type
Complete with hose, control, drum cover,
follower plate, drum trolley and hose reel
To fit a 180Kg drum

Grease pumps (pneumatic)



 Greaser 50:1 Ratio

 Code
 Length
 Drum capacity

 682-010
 480mm
 20 / 30Kg

 682-020
 740mm
 50 / 60Kg

 682-030
 940mm
 200Kg

Drum covers



 Drum cover


 Code
 Size
 Drum capacity

 684-010
 330mm
 20 / 30Kg

 684-020
 400mm
 50 / 60Kg

 684-030
 600mm
 200Kg

Follower plates



| Follower plate | | | | | | |
|----------------|-------|---------------|--|--|--|--|
| Code | Size | Drum capacity | | | | |
| 686-010 | 310mm | 20 / 30Kg | | | | |
| 686-020 | 400mm | 50 / 60Kg | | | | |
| 686-030 | 600mm | 200Ka | | | | |







Grease couplers







Grease coupler
Button head 15mm
Pull type



690-030 Grease coupler
Button head 15mm Push type



Grease coupler
Button head 22mm

Grease swivels



692-010 Swivel Straight 1/4"



692-020 Swivel Z Type 1/4"



Grease controls

694-010 Grease control
Ridget hose with
swivel and coupler

694-020 Grease control
Flexible hose with
swivel and coupler

Bearing packer





Grease hose



| 698-010 | | |
|--------------|--|--|
| Grease hose | | |
| 400mm x 1/8" | | |
| | | |







Oil suction gun



702-010 Suction gun 500ml



Lever type pump



Gear oil dispenser



Rotary type pump



Rotary pump
Oil & diesel
45L/min @ 60RPM
Oil pump (pneumatic)



| Oil pump stub type Pneumatic | | | | | |
|---------------------------------|------------|-------|--|--|--|
| Code | Volume | Ratio | | | |
| 706-010 | 21.5L/min | 3.5:1 | | | |
| 706-020 | 15 51 /min | 5.5:1 | | | |

Oil controls



708-010
Oil Control
Rigid nozzle with swivel



| Oil pump drum type Pneumatic | | | | | |
|---------------------------------|------------|-------|--|--|--|
| Code | Volume | Ratio | | | |
| 706-030 | 21.5L/min | 3.5:1 | | | |
| 706-040 | 15.51 /min | 5 5 1 | | | |

Oil controls with meters



708-020
Oil Control
Flexible nozzle with swivel



708-030 Oil Control with meter Rigid nozzle with swivel



708-040
Oil Control with meter
Flexible nozzle with swivel

Oil hose



Hydraulic oil hose
1/2" BSP Fittings both sides
Code Length
710-010 1.5m

5m 10m 12m

710-010 710-020 710-030 710-040 710-050 710-060

Oil pumps (pneumatic)

Bung adaptor





 Oil pump stub

 Pneumatic
 Code
 Volume
 Ratio

 706-050
 14L/min
 3:1

 706-060
 14L/min
 5:1

712-010
Bung adaptor
Necessary to fit drum pumps
to a 200L drum. 2" Fitting



| Oil pump drum Pneumatic | | | | | | |
|----------------------------|---------|-------|--------|--------|--|--|
| Code | Volume | Ratio | Drum | Length | | |
| 706-070 | 14L/min | 3:1 | 50/60L | 740mm | | |
| 706-080 | 14L/min | 3:1 | 200L | 940mm | | |
| 706-090 | 14L/min | 5:1 | 50/60L | 740mm | | |
| 706-100 | 14L/min | 5:1 | 200L | 940mm | | |

Drum trolley's



688-010 Trolley 20/30L drum



688-020 Trolley 50/60Lg drum



688-030 Trolley 200L drum

Oil hose reels



 Hose reel oil

 Code
 Hose

 714-010
 10m

 714-020
 15m



| • | Hose ree | l oil |
|---|----------|-------|
| | Code | Hose |
| 8 | 714-030 | 10m |
| - | 714-040 | 15m |

Drip trays



| Drip trays Steel 50mm high | | |
|--------------------------------------|---------|--|
| Code | Length | |
| 716-010 | 50x50cm | |
| 716-020 | 50x80cm | |
| 716-030 | 80x80cm | |







718-040 Oil evacuator (manual)
Capacity 7L complete with 4 probes

Sump socket set



Sump plug socket set 21 Piece

Oil cans



| Oil can With brass internals | | |
|---------------------------------|-----------|--|
| Code | Container | |
| 728-010 | 300ml | |
| 728-020 | 500ml | |
| 728-030 | 700ml | |

Oil drains / evacuators



718-020
Oil evacuator (pneumatic)
Capacity 80 L. Suction time
2 L/min. Pneumatic drain operation.
Hose 2m. 7 Suction probes included

718-030
Oil drain and evacuator in one
Capacity 80 L. Bowl 10 L. Suction time
2 L/min. Pneumatic drain operation. Hose 2m. 7 Suction probes included

Oil drains







| Oil drain (Truck) Trolley type on wheels | | | |
|--|----------|-------------|--|
| Code | Capacity | Size | |
| 720-020 | 60L | 90x50x15cm | |
| 720-030 | 240L | 150x80x20cm | |







| 1 | | |
|---|--|--|
| | | |

Funnels

| Funnel Complete with lid | | |
|-----------------------------|-------|--|
| Code | Size | |
| 726-010 | 180mm | |
| 726-020 | 200mm | |

Oil drum trolley's



Drum trolley
With this trolley it's easy to lift and move 200L drums 250mm rubber wheels



730-020 Drum decanting trolley Capacity 220Kg Suitable for 200L drums

Oil filter cups / wrenches



732-010 Oil Filter Wrench Set9 Piece 14 flutes x 64.5mm


14 flutes x 64.5mm 14 flutes x 64.5mm

15 flutes x 88.8mm 14 flutes x 74.2mm.

16 flutes x 86.6mm. 6 flutes x 27mm

6 flutes x 32mm

63-83mm. Universal oil filter wrench 63-83mm.







732-020 Oil filter cup set 15 Piece



734-010
Oil filter plier
Locking plier type
53 - 118mm



734-020
Toyota filter cup
14 Flutes x 64.5mm
Steel thickness: 2.5mm
Designed with 6 slots
1/2" Drive or 21mm spanner



734-040
Oil filter wrench two way
Removes all oil filters from 2 1/2"- 4 3/4"
(65 - 120 mm). Use with 1/2" or 3/8"
square drive tool.



734-030
Oil filter wrench 3 Leg
Loosens or tightens oil filters from
2.1/2" to 4.3/4" (60 -120 mm) diameter.
Use with 3/8" square drive
or 3/4" (19mm) spanner.



| Oil filter wrench Heavy duty Swivel type | |
|--|---------------|
| Code | Range |
| 734-050 | 60mm to 73mm |
| 734-060 | 73mm to 85mm |
| 734-070 | 85mm to 95mm |
| 734-080 | 95mm to 111mm |



734-090 Oil filter strap Maximum 152mm filter diameter Nylon



| Oil filter straps Leather type | | | |
|-----------------------------------|-------------|--|--|
| Code | Range | | |
| 734-100 | Up to 160mm | | |
| 734-110 | Up to 240mm | | |



734-120 Oil filter wrenchChain type
60 - 140mm



734-130
Oil filter wrench
Chain type
Up to 135mm diameter



| Oil filter wrench Double chain type | | |
|--|-------------|--|
| Code | Range | |
| 734-140 | 60 to 115mm | |
| 734-150 | 60 to 170mm | |



734-160
Hinged oil filter wrench
Heavy duty chain type
Suitable for filter diameters from 60mm to 160mm.
Total length of chain: 520mm.



| Diesel pump 3/4" | | | |
|------------------|---------|-------------|----------------------|
| Code | Voltage | Volume | Amps |
| 736-010 | 12V | 50L/min | 24A |
| 736-020 | 12-24\/ | 30-501 /min | 6 5 ₋ 13Δ |



| Diesel pump 1" | | | | |
|----------------|---------|-------------|---------|--|
| Code | Voltage | Volume | Amps | |
| 736-030 | 12V | 56L/min | 35A | |
| 726 040 | 12 241/ | 25 701 /min | 16 25 4 | |



| Diesel pump 1" | | | | |
|----------------|---------|---------|------|--|
| Code | Voltage | Volume | Amps | |
| 736-050 | 12V | 85L/min | 42A | |
| 736-060 | 24V | 85L/min | 21A | |



| Oil pum | р | | | |
|---------|---------|----------|-------|------|
| Code | Voltage | Volume | Amps | Port |
| 736-070 | 12V | 5L/min | 22.5A | 1/2" |
| 736-080 | 24V | 5L/min | 19.5A | 1/2" |
| 736-090 | 12V | 10L/min | 35A | 3/4" |
| 736-100 | 24\/ | 101 /min | 18A | 3/4" |



736-110 Diesel pump 1"230V
56L/MIN
3A



| Diesel / oil pump 1" | | | | | | |
|----------------------|---------|----------|------|--|--|--|
| Code | Voltage | Volume | Amps | | | |
| 736-120 | 230V | 25L/min | 5.5A | | | |
| 736-130 | 230\/ | 501 /min | 6.5A | | | |



736-140 Oil pump 1"230V
14L/MIN
6A



| Petrol AVG | AS pump 1 | " | |
|------------|-----------|----------|------|
| Code | Voltage | Volume | Amps |
| 736-150 | 12V | 50L/min | 21A |
| 736-160 | 2301/ | 501 /min | 1Δ |

Pump kits



| ı | Diesel pump 3/4" kit | | | | | | |
|---|----------------------|---------|----------|------|--|--|--|
| | Code | Voltage | Volume | Amps | | | |
| | 738-010 | 12V | 50L/min | 22A | | | |
| ı | 720 020 | 2417 | FOI /min | 121 | | | |



| Diesel pump 1" kit | | | | | |
|--------------------|---------|------------|--------|--|--|
| Code | Voltage | Volume | Amps | | |
| 738-030 | 12V | 56L/min | 35A | | |
| 738-040 | 12-24V | 35-70L/min | 16-25A | | |



| 738-050 Diesel pump 1" kit |
|-------------------------------|
| 12V |
| 80L/MIN |
| 22A |



| Oil pump 3/4" kit | | | | | |
|-------------------|---------|---------|------|--|--|
| Code | Voltage | Volume | Amps | | |
| 738-060 | 12V | 10L/min | 22A | | |
| 738-070 | 24V | 10L/min | 18A | | |



| Diesel pump 1" kit | | | | | |
|--------------------|---------|---------|-------|-------|--|
| Code | Voltage | Volume | Amps | Meter | |
| 738-080 | | 80L/min | 44A | No | |
| 738-090 | 12V | 80L/min | 44A | Yes | |
| 738-100 | 24V | 80L/min | 22.5A | No | |
| 738-110 | 24V | 80L/min | 22.5A | Yes | |



| Oil pump 1/2" kit | | | | | | |
|-------------------|---------|---------|------|-------|--|--|
| Code | Voltage | Volume | Amps | Meter | | |
| 738-170 | 230V | 9L/min | 3.8A | No | | |
| 738-180 | 230V | 9L/min | 3.8A | Yes | | |
| 738-190 | 230V | 28L/min | 4.6A | No | | |
| 738-200 | 230V | 28L/min | 4.6A | Yes | | |



740-010
Diesel flow meter
1" Ports
Maximum flow 100L/min
Maximum 10Bar
4 Digit display



740-040
Flow Meter diesel / oil 1/2"
Flow rate of 30 L/min
Max Pressure of 70 Bar
5 Digit Display.

Pump kits



| Diesel pump kit | | | | | | |
|-----------------|---------|------------|------|-------|------|--|
| Code | Voltage | Volume | Amps | Meter | Port | |
| 738-120 | 230V | 56L/min | 44A | No | 1" | |
| 738-130 | 230V | 56L/min | 44A | Yes | 1" | |
| 738-140 | 12-24V | 35-70L/min | 16A | Yes | 3/4" | |



| Petrol A | Petrol AVGAS pump kit | | | | | | |
|----------|-----------------------|----------|------|------|--|--|--|
| Code | Voltage | Volume | Amps | Port | | | |
| 738-210 | 12V | 50L/min | 21A | 1" | | | |
| 738-220 | 230V | 501 /min | 1A | 1" | | | |

| Oil pump 1/2" kit | | | | | |
|-------------------|---------|--------|-------|-------|--|
| Code | Voltage | Volume | Amps | Meter | |
| 738-150 | 12V | 4L/min | 18.5A | No | |
| 738-160 | 24V | 4L/min | 18.5A | Yes | |



| Petrol AVGAS pump kit | | | | | |
|-----------------------|---------|---------|------|------|--|
| Code | Voltage | Volume | Amps | Port | |
| 738-230 | 12V | 50L/min | 21A | 1" | |
| 738-240 | 230V | 50L/min | 1A | 1" | |

Flow meters



740-020
Diesel flow meter
1" Ports
Maximum flow 100L/min
Maximum 10Bar
3 Digit display



| Flow meter | er 1" port | | |
|------------|------------|----------|----------|
| Code | Material | Volume | Pressure |
| 740-050 | Diesel | 120L/min | 20Bar |
| 740-060 | Petrol | 120L/min | 20Bar |



740-030
Petrol AVGAS flow meter
1" Ports
Maximum flow 100L/min
Maximum 10Bar
3 Digit display

Fuel control



742-010
Manual Nozzle 1"
Flow rate of 120 L/min complete with swivel

Fuel controls

Filters (oil, diesel, petrol & AVGAS)



742-020 Manual Nozzle 1" Flow rate of 150 L/min complete with swivel



742-030 Automatic Nozzle 1" Flow rate of 120 L/min complete with swivel



| Filter 1" Port | | | | |
|----------------|-----------|---------------|---------|--|
| Code | Volume | Combination | Microns | |
| 744-010 | 60L/min | Head & Filter | 10 | |
| 744-020 | 60L/min | Head only | | |
| 744-030 | 60L/min | Filter only | 10 | |
| 744-040 | 100L/min | Head & Filter | 10 | |
| 744-050 | 100L/min | Head only | | |
| 744-060 | 1001 /min | Filter only | 10 | |

Water absorbing filter (diesel, petrol & AVGAS)

Hose (diesel, petrol & AVGAS)



| Filter (Water captor) 1" Port | | | |
|-------------------------------|----------|---------------|---------|
| Code | Volume | Combination | Microns |
| 746-010 | 70L/min | Head & Filter | 30 |
| 746-020 | 70L/min | Head only | |
| 746-030 | 70L/min | Filter only | 30 |
| 746-040 | 150L/min | Head & Filter | 30 |
| 746-050 | 150L/min | Head only | |
| 746-060 | 150L/min | Filter only | 30 |



Hose with 1" fitings both sides
Length 4m
Maximum pressure 10Bar



| Hose reel diesel | | |
|------------------|------|----------|
| Code | Hose | Diameter |
| 750-010 | 10m | 20mm |
| 750-020 | 10m | 25mm |

Drum connector without flange 2" x 1"

Drum connector with flange. Top section connects to pump and bottom section connects to riser tube.

Pump accessories



Drum connector with flange 2" x 1"

Drum connector with flange. Top section connects to pump and bottom section connects to riser tube.



752-030 Drum connector quick type 2" x 1"
Quick connector. Top section connects to pump and bottom section connects to riser tube.



752-040

Flange 1"
Flange specially designed to connect to most pumps, drum connectors etc. A perfect connection is made by o rings.



Riser tube 1"
Riser tube can be connected via drum connectors or directly onto pumps to suck material out of drums.
Riser tube is extendable to accommodate various drum capacities.

Parts cleaners

754-020 Parts cleaner

Single brush 40 L container 230V Single phase No bleeding necessary and easy to clean. Stand alone unit.

Parts cleaner



754-010 Parts cleaner

Single brush
20 L container. Pneumatic pump.
No bleeding necessary and easy to clean. Bench top or under vehicle use.

Foamer



758-010 Foamer Used to apply car shampoo and detergent to vehicles.

10m hose with gun. 50L tank.

Maximum pressure 8 Bar.



Sand blasting gun
Sandblaster needs a medium to large size compressor to operate.



754-030 Parts cleaner

Double brush 40 L container 230V Single phase No bleeding necessary and easy to clean. Stand alone unit.





Parts cleaner brush

754-040 Parts cleaner brush

Nylon Replaceable brush for parts cleaners. Hole through center for chemical to flow.

Pressure washer



Pressure washer (cold water)
Semi industrial type
5 m hose. 95 Bar pressure

6 L/min (360 L/hour) 230V Single phase 1850W Not recommended for constant use

| Pressure washer (cold water) Industrial professional type | | | er) |
|---|----------|---------|---------|
| Code | Pressure | Volume | Voltage |
| 756-010 | 120Bar | 12L/min | 220V |
| 756-020 | 150Bar | 15L/min | 380V |

Vacuum cleaner



760-010 Vacuum cleaner 2 x 1200 W motors. 100 L per second vacuum power 70 L tank. 230V.

Paraffin spray gun



762-010 Paraffin spray gun 1L cup capacity





Sand blaster (bench top model) Internal dimension 560 x 460 x 280mm Sandblaster needs a medium size compressor to operate.



Sand blaster on stand
Internal dimension 600 x 840 x 630mm
Includes foot operated pedal. Sandblaster needs a large compressor to operate

Injector tester & cleaner (petrol)

Injector tester (diesel)

Injector tools



Injector tester and cleaner
Tester supplied with most adaptors for electrical and mechanical petrol injectors. Injectors can be tested on bench and cleaned with ultrasonic bath. Test 8 or clean 8 injectors simultaneously. Adaptors and ultrasonic bath included

766-020
Ultrasonic bath
Ultrasonic bath supplied with injector tester but available separately if required. Fluid capacity 1L



Injector tester (diesel)
Also known as a pop tester Maximum pressure 60Bar



Diesel injector / sensor socket set 14 Piece.

A comprehensive set of sockets to remove and install diesel injectors and lambda sensors. 17 to 30mm bi-hexagon and 20 to 22mm hexagon sockets.



Injector socket set 4 Piece. 22mm Hexagon socket 22, 27 and 28mm bi-hexagon sockets



768-020

Sensor socket set 7 Piece.

A comprehensive set to remove and install a wide range of oxygen and oil pressure sending units



772-010 Diesel injector seat cutter set

To clean and re-cut the injector seats of modern common rail diesel engines



772-020 Diesel injector seat cutter set

To clean and re-cut the injector seats of modern common rail diesel engines



Injector shaft cleaning set 28 Piece

To be used to clean off carbon on shafts prior to replacing injectors



774-010

Injector puller set
A master injector extractor kit for removal of diesel

774-020
Diesel injector puller
Assists with the removal of stubborn Bosch and Lucas diesel injectors. With M8, M12, M14 adaptors. Length: 230mm



774-030

Injector puller set
This 3 piece diesel injector puller set
comes complete with an extractor key for removing the inner part of the Bosch injectors.



774-040

Injector puller set
To be hooked on base (overhead or sideways). Slide hammer for easy removal. Suitable for most Bosch injectors.



Injector puller set
Can be hooked on base or fitted to injector intake. Slide hammer for easy removal. Suitable for most Bosch injectors.



Injector pump puller Diesel



776-020
Fuel injector seal installer / remover
A set of fitting aids to enable the operator to

correctly fit the Teflon seal (or ring) onto a BMW fuel injector prior to refitting the fuel injector to the cylinder



776-030 Injection pump locking tool Suitable for all 2.2 and 3.2 Ford TDCI engines



776-040 Injection pump lock Land Rover, Jaguar 3.0 TDV6



776-050 Injection pump lock Mercedes Benz 601, 602, 603



776-060 Oxygen sensor socket 22mm



776-070 Oxygen sensor socket



Diesel injector socket MAN, Mercedes Benz

Automatic transmission service station

Transmission jacks (trolley type)



Automatic transmission oil exchanger & cleaner

Can be used in manual or automatic cycle. Easy to use with only 4 buttons. Measurement of delivery and return pressures. User friendly software.

Two scales and pumps with oil temperature measurement. Automatic discharge of old oil with removable new and used oil tanks. Includes assortment of fittings to connect most transmissions. 220V Single phase.



780-010 Transmission jack Trolley type 1,5 Ton capacity

Transmission jack with adjustable cradle Minimum height 270mm Maximum height 900mm



780-020 Transmission jack

Trolley type
2 Ton capacity
Transmission jack with adjustable cradle
Minimum height 210mm Maximum height 960mm

Transmission jacks (pit / lift type)



782-010 Transmission jack

Pit / Lift type 500Kg capacity Transmission jack with fork Minimum height 1135mm Maximum height 1950mm



782-020

Transmission jack with adjustable cradle Minimum height 850mm Maximum height 1760mm







Cluth Alignment Tool SAC
For fast and professional disassembly &
assembly of SAC clutches. Fits on most SAC

clutches with 3 and 4 hole systems



782-030 Transmission jack Pit / Lift type 1 Ton capacity

Transmission jack with adjustable cradle Minimum height 855mm Maximum height 1845mm



Clutch tool (Audi and VW) DSG Clutch assembly and disassembly device



Clutch alignment tool

Operation range: ø14.4 - 29mm



784-040 Clutch tool (Audi and VW) DSG Clutch assembly and disassembly device



Clutch tools

Mechatronic unit remover (DSG)
Specially designed to remove load from plungers of mechatronic unit when you insert the tool between clutch lever and gear housing

CV Tools



| Lock ring pliers | |
|------------------------|-----------------------|
| Right angle knurled ti | ps hold rings securel |
| Code | Length |
| 786-020 | 250mm |
| 706 020 | 350mm |



CV Boot clamp plier
Crimp and flattens ear-type clamps found on
CV joint boots, clamps quick clamps on fuel filter and cooling system hoses



CV Joint clamp banding plier
Tool for installing CV Bands. Includes built-in cutter

Exhaust tools



CV Band Stainless steel 6mm x 30m roll



788-040

Buckle
Stainless steel buckle to fit 6mm band



Tailpipe & tubing cutter

Quickly cuts exhaust and tail pipes in confined areas.

Cuts thin wall copper and steel tubing from 19 - 76mm (3/4" to 3") in diameter



Tailpipe & tubing cutter

Vice grip handle design cuts pipes easily without needing to exert pressure. Simply turn adjustment
T bar in handle for further force. Can cut up to 2.5 mm thickness. Capacity 19 - 83 mm OD



792-010 Exhaust expander Tail pipe reshaper



Exhaust spring clamp remover and installer Essential for safe, controlled removal of clamps which attach the exhaust to the manifold.



462-010 Exhaust back pressure tester
Easy to detect blocked catylic converters or exhausts

Spray booth

Spray Booth Car 380V 3 Phase

Outside dimension L 7m x W 5,2m x H 3.6m. Inside dimension L 6.9m x W 3.9m x H 2.8m Vehicle door W 3.2m x H 2.7m, Personnel door W0.8m x H 2m

Available with diesel burner or infrared heaters 32 Explosion proof ceiling lights included

Chassis straightener



Chassis straightener
Complete with single swivel boom. Supplied complete with sill clamps, cross tube, cross tube stands, pull clamps and pull chains.

Collision repair bench



Collision repair system (Car bench)
Complete with twin boom system capable of pulling 360 degrees
Platform length 5200mm Width 2100mm Height 500mm. Pulling power per post is 9.5 Ton

Lifting capacity 3000Kg. Easy to use, and fast and very accurate. Supplied complete with assortment of pulling clamps, chains and anchoring equipment.

Spot weld dent puller



800-010
Electrical spot weld dent puller
3000A Dent puller on trolley. Includes
slide hammer with an assortment of rivets to use. 220V Single phase

Body / Chassis repair kits



802-010 Body repair kit 10 Ton Capacity

Body repair kit 20 Ton Capacity Supplied in two metal cases

Manual hydraulic pump



Hydraulic hand pump 10 Ton Capacity

700 Bar 10 000 PSI



806-010

Hydraulic foot pump
10 Ton Capacity
700 Bar
10 000 PSI 3.1 L Tank



806-020

Hydraulic foot pump
10 Ton Capacity 700 Bar 10 000 PSI 625ml Tank

Trim tools







808-030
Trim remover set
5 Piece. Easily remove clips on trim and do other upholstery work, without damaging painted surfaces

Trim remover tool
Ideal for removing plastic upholstery
fasteners on doors and other applications

Speed file





Trim remover set

11 Piece. Easily remove clips on trim
and do other upholstery work, without
damaging painted surfaces



Speed file Holds 350mm body file. Holder only. File not included. File adjustable as required.

Dolly's




812-020

Dolly
Double ended



350mm





812-030 Dolly Curved

Body repair kit



814-010

Body repair set 6 Piece. Set includes 2 hammers, 3 dollies and 1 moulding spoon

Dent puller



Dent puller set
9 Piece. 2.5Kg Sliding hammer to remove dents effortlessly.



812-010

Dolly Multi type

812-040 **Dolly** Toe

Body repair tools







818-010

Panel beating hammer Heavy shrinking hammer (flat face) Milled face

Panel beating hammer Pick hammer Crowned face

818-030

Panel beating hammer
Straight peen and finishing hammer Crowned face

Hand sander







820-010

Hand sander
Sand paper size 70mm x 430mm
Base length 400mm

Spot weld cutter



Spot weld cutter set
9 Piece. For drilling out spot welds on
most body panels. Includes 1 x 5/16" and 1 x 3/8" cutters with 2 cutters spare on both sizes

Sanding block Sand paper size 212mm x 106mm ABS Plastic material

Windscreen removal tool



Windscreen (windshield) removal tool
7 Piece. Includes stainless steel wire,

2 x Handles, removal tool, wire feeder tool, trim pad remover, windshield molding release tool

322-010

Door opening holder set Size 74mm to 115mm

Door opening holder

Adjustable anywhere in between

Airbag removal tool



Airbag removal tool set
12 Piece. Suitable for VW, Audi, BMW,

Opel, Renault and Mercedes Benz vehicles

Rivnut tool



350-080

Rivnut tool

5mm, 6mm, 8mm and 10mm capacity Length 320mm. Comes with an assortment of

rivnuts. Various shapes of rivnuts available on request.

Positioning jack



030-020 Positioning jack

Hydraulic type 700Kg Capacity

Suitable to move most cars and 4X4 around. Each dolly capable of supporting 700Kg therefore a vehicle of maximum 2.8 Ton weight

Pull back ram



| Pull back ram Stroke 600mm | | |
|-------------------------------|----------|--|
| Code | Capacity | |
| 802-030 | 2 Ton | |
| 802-040 | 5 Ton | |

Body repair pull clamps







824-020 Pull clamp With yoke 100mm 6Ton



824-030 Pull clamp Right angle with yoke 100mm 6Ton



824-040 Clamp Anchor Base







824-060 Base set Ball pivot with pins



824-070
Pull clamp
Right angle
without yoke
100mm



824-080 Pull clamp Self locking 100mm 6Ton



824-090 Base set Scissors type



824-100 Ball pivot



824-110 Pull clamp Large hook



824-120 Pull clamp Wide serrated



824-130 Pull clamp Box type 2 way



824-140 Pull clamp Heavy duty 2 way



824-150 Pull clamp Small mouth



824-160
Pull clamp
Self locking
60mm 10Ton

Arc welders

826-010

Arc welder MMA (Stick)
20-120A. Electrode size up to 2.5mm Inverter type (light weight and portable) Voltage 220V. Includes welding shield and cables. Weight 3.2Kg



MIG welder (C02)
350A. Welding wire 0.8 to 1.2mm
Voltage 380V. Includes wire feeder,
earth cable and MIG torch. Optional extras, flow meter and gas. Weight 143Kg



826-070

Plasma cutter 5mm
40A. Cutting capacity 0.6 to 5mm Voltage 220V. Includes earth cable and Plasma torch. Optional extra compressor Weight 9Kg



Arc welder MMA (Stick)
20-200A. Electrode size up to 4mm Inverter type (light weight and portable) Voltage 220V. Includes welding shield and cables. Weight 4.35Kg

MIG Welders

826-030 MIG welder (C02) 250A. Welding wire 0.8 to 1mm Voltage 220V. Includes cable and MIG torch. Optional extras, flow meter and gas. Weight 62Kg



TIG / MMA welder AC / DC

Suitable for aluminium welding. 5-200A.
Electrode size up to 4mm. Voltage 220V.
Includes earth cable, electrode cable, foot operated control and TIG torch. Optional extras, flow meter and gas. Weight 15Kg



TIG / MMA welder AC / DC
Suitable for aluminium welding. 5-250A.
Electrode size up to 5mm. Voltage 380V.
Includes earth cable, electrode cable, foot operated control and TIG torch. Optional extras, flow meter and gas. Weight 33Kg

Plasma cutters



Plasma cutter 20mm
60A. Cutting capacity 1 to 20mm Voltage 380V. Includes earth cable and Plasma torch. Optional extra compressor Weight 19Kg



826-090

Plasma cutter 30mm
100A. Cutting capacity 1 to 30mm Voltage 380V. Includes earth cable and Plasma torch. Optional extra compressor Weight 19Kg

Gas welding Flow meter



Gas welding kit
Includes welding and cutting torch complete with regulators, nozzles, flash back arrestors, nozzle cleaner, hoses, flint lighter and goggles.



Description 828-020 Oxygen 828-030 Acetylene

828-040

Flow meter regulator (CO2 / ARGON)
Flow meter with regulator for CO2 or

Gas welding accessories







 Flash back arrestors

 Code
 Size
 Gas
 Mount
 Code
 Size
 Gas
 Mount

 828-050
 3/8"
 Oxygen
 Reg
 828-090
 9/16"
 Oxygen
 Reg

 828-060
 3/8"
 Acet
 Reg
 828-100
 9/16"
 Acet
 Reg

 828-070
 3/8"
 Oxygen
 Torch
 828-110
 9/16"
 Oxygen
 Torch

 828-080
 3/8"
 Acet
 Torch
 828-120
 9/16"
 Acet
 Torch

828-130
Flint lighter
Triple head for long life

828-140 Nozzle cleaner Fold away holder

Welding accessories







828-150
Wire brush
4 Row ideal for welding

828-160
Chipping hammer
Ideal for removing flux

Helmets and goggles

828-170 Welding gloves Cuff size 204mm



828-180
Welding helmet (flip front)
Helmet with adjustable head strap.
Spare lenses available in request.



828-190
Welding helmet (auto darkening)
Helmet with adjustable head strap.
Fixed darkness shade control.
Spare lenses available in request.



828-200
Welding helmet (auto darkening)
Helmet with adjustable head strap.
Adjustable darkness shade control.
Spare lenses available in request.



828-210
Welding / grinding helmet (auto darkening)
Helmet for welding and grinding with adjustable head strap. Adjustable darkness shade control.
Spare lenses available in request.



828-220
Gas welding goggles (flip front)
Goggles with adjustable head strap.
Can be used for grinding with dark lenses flipped up.



828-230
Grinding goggles
Goggles with adjustable head strap.
Anti dust with high impact.























MARK - MOTO



























eurotool[®]







































metabo

(GEDORE)











































IAMEC PEM

























Sykes-Pickavant









TAUTOMAS

















STAHLWILLEI()









